

myQ roger



MyQ Roger Server Administration



August/2024
Revision 19

Table of Contents

1	Introduction	6
2	Basic Information	7
2.1	Prerequisites before the installation	7
2.2	Communication ports and protocols	7
3	Installation.....	9
3.1	MyQ Roger Mobile App.....	9
3.1.1	User Authentication	9
3.2	MyQ Roger and MFDs.....	11
3.2.1	Installing the MyQ Roger terminal to MFDs.....	11
3.2.2	Connecting the MyQ Roger terminal to the MyQ Roger server.....	11
	Via the MyQ Roger mobile app (recommended)	11
	Via the device code in the MyQ Roger web server	14
4	Logging in MyQ Roger.....	16
4.1	Two-Factor Authentication	17
4.1.1	Two-Factor Authentication setup.....	17
4.1.2	2FA via email	20
4.1.3	2FA via Google Authenticator	21
5	Home	22
5.1	Menu	22
5.2	Main ribbon	22
5.3	Dashboard	26
6	Supervision	30
6.1	Reports.....	30
6.1.1	Jobs tab.....	30
6.1.2	Reports tab.....	32
6.1.3	Accounting.....	32
6.2	Ready to Print	33
6.3	Printers.....	34
6.3.1	Adding printers.....	36
6.3.2	Managing printers.....	37
6.3.3	Exporting printers.....	38
6.3.4	Single-Function Printers	38
	Prerequisites	39
	Setup.....	39

6.4	Printer Groups	44
6.5	Desktop Clients	47
6.5.1	Download Logs	47
6.6	Notifications.....	48
6.6.1	Notification settings.....	50
7	Workflow Templates	52
7.1	Default Workflow Template	52
7.2	Creating a workflow template	53
7.2.1	Adding a workflow to a template	54
7.2.2	Editing a workflow	58
7.2.3	Adding users and groups	59
7.3	Workflow Templates Transition.....	60
8	Organization.....	62
8.1	Users	62
8.1.1	Manually Creating Users.....	62
8.1.2	Importing Users	63
	Excel file syntax	64
8.1.3	AD User Synchronization	65
	Microsoft Entra ID	65
8.1.4	Editing Users	69
8.2	User Groups	72
8.2.1	Creating user groups	72
8.2.2	User Group Options	73
8.3	Cost Centers.....	74
8.3.1	Creating a cost center	74
8.3.2	Editing a cost center.....	75
8.3.3	Importing a cost center.....	76
8.4	Roles	77
8.4.1	Creating a new role.....	80
8.4.2	Roles Management.....	81
9	Administration.....	83
9.1	Subscription.....	83
9.1.1	Subscription information tab.....	83
9.1.2	Licenses tab	84
9.1.3	Licensing	85
	MyQ Software Assurance plans	86
	Ordering Licenses	87

9.2	User Synchronization.....	91
9.3	Price Lists	92
9.3.1	Create a new price list.....	93
9.3.2	Price list management	95
9.4	Universal Print by Microsoft	96
9.5	Printer Configurations	98
9.5.1	Creating a new printer configuration	99
9.5.2	Editing the Default printer configuration.....	99
9.5.3	General tab	99
9.5.4	Login tab	100
9.5.5	Ready to Print tab	101
9.5.6	SNMP tab	101
9.5.7	Job Release tab	104
9.5.8	Scanning tab.....	104
9.5.9	Kyocera tab.....	105
9.6	My Settings.....	106
9.6.1	Cloud Services.....	106
9.6.2	PIN and Cards.....	107
9.7	Settings	107
9.7.1	General tab	107
9.7.2	Appearance tab	108
9.7.3	User management tab.....	109
9.7.4	Security tab	110
	Password complexity	111
	PIN settings	111
	User Lock Out.....	112
	Two Factor Login.....	112
	Cloud storages.....	112
9.7.5	Login settings tab	113
9.7.6	Cloud Storages tab	113
10	System	114
10.1	Audit Logs.....	114
10.2	About	115
11	Availability Monitoring.....	116
11.1	Current Status.....	116
11.2	Past Incidents.....	118
11.3	Subscribe to Updates	119

12 Business Contacts 120

1 Introduction

MyQ Roger is a full-fledged **public cloud solution, designed to increase any person's productivity and efficiency**. No matter if they work in an office environment or from home.

Capture documents with your mobile phone, multifunctional printer or from your e-mail inbox. Store them locally or in your personal cloud. Trigger advanced workflows. Transform documents to editable formats or electronic data that can be processed automatically by your integrated applications. Set up your own quick actions, or just use suggestions created by the system.



Benefit from MyQ Roger's top Performance, High Availability, and Multitenancy

The main benefit of MyQ Roger is that it is a serverless solution. Customers don't have to maintain any hardware for the application to work.

With MyQ Roger, you get a unique virtual experience of collaboration at work and document management – your brand-new **Smart Digital Workplace Assistant**.

Enjoy the simplicity of its **fully personalized UI**, use OneDrive or another cloud storage to print and scan your documents **with a single click**, and keep your digital office in your pocket at home, on the move, or at the office.

2 Basic Information


The guide is intended for administrators, as it describes the installation and administration of a MyQ Roger tenant. You learn how to log in to your MyQ Roger tenant, how to manually create, import, and edit users, how to modify device and security settings, and how to establish the connection between your MyQ Roger tenant, your MFDs and your smartphones.

The below server technologies are used in MyQ Roger. They are maintained by MyQ and are automatically included when upgrading to new versions:

- ASP.NET Core REST API technology.
- Angular front-end compiled to JavaScript which runs on the client browser side.
- Hosted in Azure and orchestrated by Kubernetes, which provide plenty of abilities like:
 - Scalable solution - The MyQ Roger instances run in virtual machines (Docker). They are continuously monitored by an automatic scaler. When the CPU or memory trigger the set limits of the load, it automatically adds a new instance to the new virtual machines. The net traffic also affects the CPU load. The Load Balancer automatically directs any incoming requests to less loaded instances.
 - Regional hosting - The application is designed to have tenants in a standalone database. This is great for any regional independent hosting. To reduce and minimize the distance latency, it is possible to run it from any region available in Azure.
 - Monitored solution - The solution is continuously monitored.
 - Static files CDN distribution - The MyQ Roger set of web static files has more than 10MB. To provide the best user experience, Content Network Distribution is used to distribute those static files across the world.

2.1 Prerequisites before the installation

- An account with administrator rights to the MyQ Roger tenant.
- Make sure that the https port 443 is allowed in the firewall.
- Make sure that TCP outgoing traffic to the internet is allowed on the device.

 Make sure your [SNMP settings](#) are correct to avoid printing disruptions.

2.2 Communication ports and protocols

PC / MyQ Roger Client (MRC)		
Target	Protocol, Port	Description

MyQ Roger Server https://eu.roger.myq.cloud https://us.roger.myq.cloud https://discovery.myq.cloud/regions	HTTPS, 443 TLS secured	MyQ Roger Client authentication User authentication Reporting jobs
Event Bus	AMQP, 5671 TLS secured	Events Release, Delete, etc.
Printer	SNMP, 161,162	Get machine Serial Number to confirm a job release target
Printer	Raw, 9100 IPPS, 10012	Job release / printing
Printer		
Target	Protocol, Port	Description
MyQ Roger Server https://eu.roger.myq.cloud https://us.roger.myq.cloud amqps://eu.amqp.myq.cloud amqps://us.amqp.myq.cloud https://discovery.myq.cloud/regions	HTTPS, 443 TLS secured amqps, 5671	MyQ Roger authentication General communication Print and scan jobs
MyQ Roger Mobile App		
Target	Protocol, Port	Description
MyQ Roger Server https://eu.roger.myq.cloud https://us.roger.myq.cloud https://discovery.myq.cloud/regions	HTTPS, 443 TLS secured	Authentication, general communication, print and scan jobs

3 Installation

MyQ Roger can be easily installed and is ready-to-use in these simple steps:

- **Log in** as an administrator to your MyQ Roger tenant and **create users**.
- Download the **MyQ Roger mobile app** to your smartphone.
- **Install** MyQ Roger to your MFDs.
- **Establish the connection** between MyQ Roger, your MFD, and your smartphone.



3.1 MyQ Roger Mobile App

The MyQ Roger mobile application can be used both on iOS and Android devices, including Chromebook devices, and it is available for free download in the App Store and in Google Play.

In Android devices, open the Google Play Store application, search for **MyQ Roger – Cloud Print & Scan**, select **MyQ Roger – Cloud Print & Scan**, and tap **Install**.

In iOS devices, open the App Store application, click on Search on the bottom-right and search for **MyQ Roger – Cloud Print & Scan**, select **MyQ Roger – Cloud Print & Scan**, and tap **Get**.

For a detailed MyQ Roger mobile app overview, check the *MyQ Roger Mobile App Installation and Usage* guide, and the brand-specific MyQ Roger guides.

3.1.1 User Authentication

In the MyQ Roger mobile app, go through the mini welcome guide, choose in which **Region** to save your data (*European data center* or *American data center*), type the name of your tenant in the **Tenancy name** field, and then choose the account you want to use to log in.


By choosing **WORK ACCOUNT**, you can log in to the MyQ Roger tenant, with multiple sign in options:

- **Sign in with MyQ** - Type your MyQ Roger credentials and tap **SIGN IN**.
 - **Username / E-mail address** - Your MyQ Roger user name or email address.
 - **Password** - your MyQ Roger password.
- **Sign in with Apple** - You are redirected to log in to your Apple account.
- **Sign in with Google** - You are redirected to log in to your Google account.
- **Sign in with Microsoft** - You are redirected to log in to your Microsoft account.

By choosing **PERSONAL ACCOUNT**, you can use a personal MyQ, Apple, Google or Microsoft account to use the MyQ Roger mobile app.

For users to be able to use a personal account, external providers, or sign up, the administrator should enable the **Allow users to register to the system** setting, available in the MyQ Roger web server, in **Administration, Settings, User management**.

If the **New registered users are active by default** setting is disabled, any newly registered user account will not be active until the administrator manually activates their account.



If a user registers an account directly by using external authentication (Apple, Google, Microsoft):

- The registration process generates a user name and the user can change it later.
- If the Name or Surname is not provided or generated by the external provider, the user account will be created as *Guest_{randomchars}*.
- Once registered, the account needs to be activated by the Administrator (if automatic activation is disabled).

External authentication is not currently available for users with an existing account.

3.2 MyQ Roger and MFDs

3.2.1 Installing the MyQ Roger terminal to MFDs

Installing the MyQ Roger terminal to your MFDs differs from brand to brand. For detailed instructions, check the brand-specific MyQ Roger guides.

3.2.2 Connecting the MyQ Roger terminal to the MyQ Roger server


Once you have configured your MyQ Roger tenant and installed MyQ Roger on your MFDs, it is necessary to establish a connection between your tenant, your MFD, and your smartphone.

This can be done either via the MyQ Roger mobile app (recommended), or via using your device's code in the MyQ Roger web server.

Via the MyQ Roger mobile app (recommended)

Log in to the MyQ Roger mobile app with your MyQ Roger credentials:

Once logged in to the app, simply use the **Log in** button at the bottom-center of the screen to scan the QR code displayed on the MFD.




This way, the connection between your MyQ Roger tenant, your MFD, and your smartphone is established.


You see the **Printer successfully paired** notification on your phone, and the MyQ Roger log in-screen on your MFD. This action only needs to be done once, and as soon as it is successfully completed, the device is paired to your tenant and displays a dynamic QR code for users to log in.

There are more possible scenarios when scanning the QR code on the printer, that are also dependent on the user's permissions:


1. The printer has not been registered yet with any tenant:
 - a. If the user has standard permissions (print, scan, etc.), they cannot pair the device. It fails and an error message is displayed on the mobile phone.
 - b. If the user has admin permissions (device pairing), they are able to pair the device with a tenant. The new record of the printer is created under the tenant, and the printer is immediately active. A new QR code is displayed and any user on that tenant is able to log in.
2. The printer is registered (paired with the same tenant as the user):
 - a. The user (with standard and/or admin permissions) is logged in to the printer and can control it via their mobile phone.
3. The printer is registered with a different tenant:
 - a. Since the printer is paired with a different tenant, it cannot be used, and an error message is displayed on the mobile phone.
4. The user is unable to log in:
 - a. Check if the correct MyQ Roger tenant is used.
 - b. Check if the user's account is locked.
 - c. Check if the user's account is deactivated.

 It's not possible to bring up the registration screen (with the QR code) on a device once it has been paired to a tenant. The administrator should either release the pairing on the server, or do a fresh re-installation of the embedded application (delete it from the device, and then re-install it).

You can also log in via NFC, if the device has already been paired by the administrator and if NFC is supported by your phone.

To pair the device, tap the **Login** button and then tap the information button  next to the **Login via NFC** option. Tap **Pair new tag**. Bring the phone close to the printer and tap **Write to NFC tag**. Once done, scan the QR code on the printer to finish the device pairing.


To log in via NFC, tap the **Login** button and select **Login via NFC**. Move your phone close to the NFC tag on the MFD. Once your phone reads the tag, you are logged in to the MFD.



Another option is to log in to an MFD paired via Bluetooth if the device is connected with a BLE reader.

Any Elatec reader with BLE support can be used, and the reader has to be configured specifically (contact MyQ for the configuration).

Once the BLE reader is configured, tap the **Login** button on the MyQ Roger mobile app and select one of the paired printers from the list. If there are no printers on the list, select **Discover printers via Bluetooth**. Once an unknown device appears on the list, tap on it and scan the QR code to pair it.



Your MyQ Roger setup is now complete and you can start working with it.

For a detailed MyQ Roger mobile app overview, check the *MyQ Roger Mobile App Installation and Usage* guide, and the brand-specific MyQ Roger guides.


Via the device code in the MyQ Roger web server

In the MyQ Roger web server, go to **Supervision - Printers**.

To remotely register, pair, and log in to a device, click the **Create printer with terminal** button, enter the device code displayed on the printer’s screen, and click **Create**.

Create printer with terminal



 Use the MyQ Roger mobile app to create a printer. Simply scan the QR code that appears on the printer's screen [Help](#).

Printer type: Printer with terminal

Enter the device code displayed on the printer's screen:

Cancel

+ Create

Your MyQ Roger setup is now complete and you can start working with it.

4 Logging in MyQ Roger


To log in to your MyQ Roger tenant:


- In your browser, go to <https://eu.roger.myq.cloud/> for the EU region or <https://us.roger.myq.cloud/> for the US region. Click **Change** next to **Region** to change the current region.
- Click **Change** next to **Current tenant**. In the Switch tenant pop-up window:
 - Enable the **Switch to tenant** option.
 - In the **Tenancy name** field, type the name of the tenant you want to select.
 - Click **Switch to the tenant**.

- Your tenant is selected and you can now log in with your MyQ Roger account:
 - Type your **User name** or **email**.
 - Type your **Password**.
 - Click **Log in**. (There are additional steps if 2FA is enabled. For details, check [here](#).)
- You are now logged in to the MyQ Roger web server.

Current tenant:  (Change) Region: **EU** (Change)

Log in








Remember me
 [Forgot password?](#)

Log in

Login with:


Sign in with Apple


Sign in with Google


Sign in with Microsoft

Not a member yet? Please contact us: roger@myq-solution.com[Create account](#) | [Email activation](#)

4.1 Two-Factor Authentication


Two-Factor Authentication, or 2FA, is an extra layer of protection used to ensure the security of online accounts apart from a username and password.

MyQ Roger offers 2FA via email or Authy (Google Authenticator) for logging in to MyQ Roger web.

4.1.1 Two-Factor Authentication setup

In order to use 2FA in MyQ Roger:

- Go to **Administration-Settings-Security-Enable two factor user login**. Enable **Allow to remember browser**. If you allow this, users can select to **remember browser to skip second time two factor login for the same browser**, so users can enable the **Remember this browser** option in their login screen.




- 2FA is disabled by default for all users. To enable it, go to **Organization-Users**. Click **Actions** and **Edit** the user. Mark the **Two factor authentication enabled** checkbox, and click **Save**.


2FA via email is now configured for the user.

⚠ For the above settings to work correctly, the user must have a confirmed email address.

Once the settings above are saved, users can also set up 2FA with Google Authenticator by themselves. This is done by going to their user profile (upper-right corner), and clicking **My Settings**. In the **Two Factor Login** tab (only visible if the above admin settings were done), **Enable** Google Authenticator.



Scan the QR code with your phone to pair your Google Authenticator app to MyQ Roger, or click **Disable** to disable it.



4.1.2 2FA via email

Once 2FA via email for a user is configured, the user needs to follow this process to log in to MyQ Roger web server.

- In a browser, go to <https://eu.roger.myq.cloud/> for the EU region or <https://us.roger.myq.cloud/> for the US region.
- Fill in the required information (Current tenant, Region, User name or email, Password), and click **Log in**.
- In the next screen, the user is asked to verify themselves by selecting a verification type. The current available verification type is *Email*. Click **Submit** to receive an email with the security code.
- In the next screen, type the security code received via email, and click **Submit**. If allowed by the administrator, you can check the **Remember this browser** setting to skip 2FA for future logins in this browser. (If the 120 seconds timer runs out before submitting the code, you get the *Timeout, please try again* pop-up. After clicking **OK**, you are redirected to the login screen where you have to restart the log in process).
- Once the security code is verified, the user is successfully logged in to MyQ Roger web server.


4.1.3 2FA via Google Authenticator

Once 2FA for a user is configured by the administrator, and the user has enabled Google Authenticator for themselves, the user needs to follow this process to log in to MyQ Roger web server.

- In a browser, go to <https://eu.roger.myq.cloud/> for the EU region or <https://us.roger.myq.cloud/> for the US region.
- Fill in the required information (Current tenant, Region, User name or email, Password), and click **Log in**.
- In the next screen, the user is asked to verify themselves by selecting a verification type. Since Google Authenticator is the preferred verification type, click **Submit** to receive a security code in your Google Authenticator.
- In the next screen, type the security code from Google Authenticator, and click **Submit**. If allowed by the administrator, you can check the **Remember this browser** setting to skip 2FA for future logins in this browser. (If the 120 seconds timer runs out before submitting the code, you get the *Timeout, please try again* pop-up. After clicking **OK**, you are redirected to the login screen where you have to restart the log in process).
- Once the security code is verified, the user is successfully logged in to MyQ Roger web server.

5 Home

After you log in, you land in the MyQ Roger Server **Home** page. You can see the settings menu on the left side, the customizable [dashboard](#) with statistics and reports in the middle, and further settings in the upper-right main ribbon.



To return to the Home page, you can either click **Home** in the left-side menu or click on the MyQ Roger logo on the upper-left side.

5.1 Menu

The settings menu is divided in the following categories, all explained in detail:

- Home
- [Supervision](#)
- [Workflows](#) (only visible after a paid license is added)
- [Organization](#)
- [Administration](#)
- [System](#)

5.2 Main ribbon


In the main ribbon, you can:




- Change the language of the MyQ Roger Server web app by clicking on the flag and selecting your preferred language.

📌 This setting only changes the language of the MyQ Roger Server web app. To change the language of a MyQ Roger embedded terminal app, go to *Administration - Settings - General - Default Language* and consult the relevant brand guide for further configuration.

- View and manage notifications by clicking on the bell. You can **Set all as read**, **See all notifications** (which takes you to the [Notifications](#) page), and edit notification settings by clicking on the gear icon.



- Manage your account by clicking on your username:



Change password: In the pop-up window, type your new password twice and click **Save**.

Change password ×

Current password

New password

New password (repeat)

• Passwords do not match!

Login attempts: Takes you to the login attempts overview page where you can view a list of your login attempts and information about IP address, Client, Browser, Time and date, and if the attempt was successful.

Login attempts [Login attempts overview](#)

IP address	Client	Browser	Time	Result
192.168.1.10	192.168.1.10	Chrome/121.0.0.0 Safari/537.36	2/7/2024, 3:45:23 PM	Success

Change profile picture: In the pop-up window, mark the **Use Gravatar profile picture** checkbox if you want to use Gravatar or click **Choose a file** to upload a profile picture. The uploaded file should be a JPG, JPEG, or PNG with a 5MB maximum size. Click **Save** to apply your changes.

Change profile picture ✕

Use Gravatar profile picture

Choose a file No file chosen

You can select a JPG/JPEG/PNG file with a maximum 5MB size.

Cancel Save

My Settings: In the pop-up window, you can edit your profile related settings such as First Name, Surname, Email address, User name, and time zone. You can also click **Delete account** to delete your account. (The tenant administrator’s account and synchronized users’ accounts cannot be deleted from here.) Click **Save** to apply your changes.

My Settings ✕

Profile

First Name *

Surname *

Email address *

User name *

Can not change username of the admin.

Timezone


Delete account

Logout: Click to log out.


5.3 Dashboard

The MyQ Roger dashboard is displayed once you log in. You can also navigate to it by clicking the MyQ Roger logo in the upper-left corner.


The dashboard contains multiple widgets that inform you about statistics and reports of your MyQ Roger tenant.



In order to modify the dashboard, you can switch **Edit mode** on. Once on, you can **Add widget**, restore the dashboard **Back to Default**, drag and drop widgets to rearrange the dashboard. You can also click on the **X** button on a widget to remove it from the dashboard. Once you are done, **Save** your changes and switch Edit mode off.



To add a new widget to the dashboard, click **Add widget** when Edit mode is on. In the Add widget pop-up, select the new widget from the drop-down, and click **Save**. The widget then appears on your dashboard.



The available widgets are:

- **Total users count** - the total number of users in your tenant
- **Total pages count** - the total number of printed pages
- **Total printers count** - the total number of printers
- **Total documents count** - the total number of printed documents
- **Banner** - adds the MyQ Roger banner in your dashboard
- **Active users last 30 days** - the number of active users in the last 30 days
- **Active printers last 30 days** - the number of active printers in the last 30 days
- **Print vs Scan last 30 days** - a percentage comparison of printed versus scanned pages in the last 30 days
- **Mono vs Color last 30 days** - a percentage comparison of printed mono versus color pages in the last 30 days

6 Supervision

Under **Supervision** in the left-side menu, the MyQ Roger administrator can:

- overview jobs and export reports in the [Reports](#) page
- overview their [Ready to Print](#) jobs
- manage [Printers](#)
- manage [Printer Groups](#)
- manage [Desktop Clients](#)
- manage alerts and [Notifications](#)

6.1 Reports

In the **Reports** page, in **Supervision - Reports**, the MyQ Roger administrator (or a user with the Administration/Jobs/Reports permissions) has a full overview of all the users' jobs, as well as accounting information about each job in the **Jobs** tab, and can export jobs' reports in the **Reports** tab.

6.1.1 Jobs tab

In the **Jobs** overview tab, there is a full overview of all the users' jobs, as well as accounting information about each job.

Users without the necessary permissions can only view their own jobs.

Jobs Your jobs overview.


Jobs Reports

Search... Export to Excel


▼ Show advanced filters

Time	User name	Job name	Size	Printer	Source	State	Operation	Color	Mono	Total	Sheets	Paper	Price
5/2/2023, 2:27:11 PM	<input type="text"/>	0017C84A8369-1872c1054e3	0 b	Printer	Printer	🟢	Scan	1	0	1	1	A4	0
5/2/2023, 2:26:59 PM	<input type="text"/>	0017C84A8369-1872c1054e0	0 b	Printer	Printer	🟢	Scan	1	0	1	1	A4	0
5/2/2023, 1:44:58 PM	<input type="text"/>	178865r23,	859.46 KB	Printer	Printer	🟢	Print	0	2	2	1	A4	0
5/2/2023, 1:44:56 PM	<input type="text"/>	175367r23,	859.93 KB	Printer	Printer	🟢	Print	0	2	2	1	A4	0
5/2/2023, 1:43:17 PM	<input type="text"/>	0017C8AE4FF5-184c2bb2f2a	0 b	Printer	Printer	🟢	Scan	1	0	1	1	A4	0
5/2/2023, 1:42:09 PM	<input type="text"/>	0017C8AE4FF5-184c2bb2f1f	0 b	Printer	Printer	🟢	Print	1	0	1	1	A4	0
5/2/2023, 1:05:21 PM	<input type="text"/>	0017C84A8369-1872c1054af	0 b	Printer	Printer	🟢	Scan	1	0	1	1	A4	0
5/2/2023, 1:05:01 PM	<input type="text"/>	0017C84A8369-1872c1054ab	0 b	Printer	Printer	🟢	Scan	1	0	1	1	A4	0


Under **Show advanced filters** there are many filters available that can be used to modify what jobs are displayed in the overview.



In the upper-right side, you can use the **Column selection** button to rearrange the columns shown in the overview. You can drag-and-drop columns from one side to the other or select a column and use the arrows in the middle and then click **Save**. All the columns in the **Shown columns** side will be displayed in the jobs overview.



You can also use the **Export** button to export the overview to Excel or CSV:



6.1.2 Reports tab

In the **Reports** tab, the MyQ Roger administrator (or a user with the Administration/ Jobs/Reports permissions) can export jobs' reports.

The screenshot shows the 'Reports' tab interface. At the top, there are two tabs: 'Jobs' and 'Reports', with 'Reports' being the active tab. Below the tabs, there are 'Quick filters' with four buttons: 'Current week', 'Last week', 'Current year', and 'Last year'. Underneath, there are three input fields: 'Creation time' with the value '07/10/2023 - 01/11/2024', 'Group by time interval' with a dropdown menu showing 'Month', and 'Group by' with a dropdown menu showing 'User'. At the bottom, there is an 'Export' button with a download icon and a dropdown arrow.

- You can manually set the **Creation time** or you can choose one of the available **Quick filters**: *Current week, Last week, Current year, Last year*.
- Select the **Group by time interval**: *Day, Week, Month, Year*. (This option is automatically set if you use a quick filter)
- Select how to group your report in the export in **Group by**: *Users, Printers, Cost Centers, User groups, User groups, User groups and Cost Center, Printer Groups, Printer Groups and Cost Center* (only available with a specific license).

Click **Export** to export your report to Excel or CSV.

6.1.3 Accounting

Different printers produce different data, but not all printers provide all the required data. Some of them provide sheets, some of them impressions (clicks) for each sheet, some of them total impressions (clicks) per job.

MyQ Roger treats a **Sheet** as the physical medium, so in case of the **Print/Copy/Fax** operation, a Sheet is, basically, the printed page.

An **Impression (click)** is how the released print job is counted. A normal print (usually A4) is one impression (click), an A3 print is 2x impressions (clicks), a Mono print is one impression (click), a Color print is 2x impressions (clicks), etc.

For example: *a reported job can have 3x sheets A3, 3x clicks A4 mono, 2x clicks A4 color (so there is one click empty / or 7 clicks empty duplex). (3x sheets A3 → 6x clicks, or 12clicks duplex).*

Price Calculation

The formula for price calculation is:

$$\text{\$JobPrice} = \text{\$SheetPrice} + \text{MonoCount}() * \text{\$MonoPrice} + \text{ColorCount}() * \text{\$ColorPrice}$$

$$\text{\$SheetPrice} = \text{SUM per format } \text{\$SheetFormatCount} * \text{\$SheetFormatPrice}$$

For example:


- A3 sheet price: 0.5\$
- A4 mono click price: 0.1\$
- A4 color click price: 0.2\$

The reported values are: 3x A3 Sheet, 4 mono clicks, 2 color clicks.

The final job price is: 3x 0.5\$(sheet) + 4x 0.1\$ (mono click) + 2x 0.2\$ (color click) = 2.3\$


6.2 Ready to Print

In the **Ready to Print** page, in **Supervision - Ready to Print**, each user has an overview of their ready jobs.




By clicking Actions next to a job, you can either **View** the job or **Delete** it from the Ready to Print queue.

Under **Show advanced filters** there are many filters available that can be used to modify what jobs are displayed in the overview.



In the upper-right side, you can use the **Column selection** button to rearrange the columns shown in the overview.


You can drag-and-drop columns from one side to the other or select a column and use the arrows in the middle and then click **Save**. All the columns in the **Show** columns side will be displayed in the jobs overview.




Users can also use the **Export to Excel** button in the upper-right corner to export the overview to Excel.

6.3 Printers

In the **Printers** page, in **Supervision - Printers**, the MyQ Roger administrator has a full overview of all the printers connected to their tenant, can export the printers' list to Excel, and add new single-function printers.




Under **Show advanced filters** there are many filters available that can be used to modify what printers are displayed in the overview.



In the upper-right side, you can use the **Column selection** button to rearrange the columns shown in the overview.


You can drag-and-drop columns from one side to the other or select a column and use the arrows in the middle and then click **Save**. All the columns in the **Shown columns** side will be displayed in the printers overview.



6.3.1 Adding printers

New printers (with embedded terminals) should be added via the pairing method, described in [MyQ Roger and MFDs](#).


You can also click the **Create printer with terminal** button, enter the device code displayed on the printer’s screen, and click **Create**.



Single-function printers can be added via the **Create new single-function printer** button, described in Single-Function Printers.

6.3.2 Managing printers

The MyQ Roger administrator can manage printers via the **Actions** menu next to a printer. The available actions are:



- **View** - view the printer's details, such as general information, toner status, printer state, and printing counters.

Details
✕

General Information

Display name: Printer 018

Brand: HP

Serial Number: NL_.....


Terminal: ✔


Terminal version: 2024.01.02 (81)

Device Model: HP Color LaserJet FlowMF P M681

Dealer catalog number:


Toner Status

Color Printer Mode: 

Toner: 

1/8/2024, 3:05:13 PM

Printer State

Login methods: 

Is Active: ✔

Host names: NPI7

IP addresses: 10. 43

Creation time: 1/14/2021, 5:50 PM

Last modification time: 1/8/2024, 3:05 PM

Printing Counters

Copies Color: 925

Copies Mono: 1453

Prints Color: 2178

Prints Mono: 9061

Scans: 3608

Close

- **Edit** - edit the printer's details, such as display name, brand info, IP address, etc.
- **Activate/Deactivate** - depending on the printer's status you can either activate or deactivate it.
- **Delete** - delete the printer.
- **Request Download Log** - generates the download log of the selected printer.
- **Download Log** - downloads the last generated download log.

6.3.3 Exporting printers

To export the printers' list, click **Export to Excel** on the upper-right corner.


6.3.4 Single-Function Printers

Single-function printers (SFPs) are printers where an embedded terminal cannot be installed. They can, however, be used with MyQ Roger with NFC tags.

 Single-function printers are only supported on Kyocera printers at the moment and require a paid **MyQ Roger Single-Function Printers** license.

Prerequisites

- The required **MyQ Roger Single-Function Printers** licenses need to be purchased and applied to the tenant.
- The single-function printer must be a Kyocera printer.
- The MyQ Roger Mobile app and the printer must be on the same network to release jobs.
- The user doing the NFC tag pairing must have the **External Login Provider** and **Pair Provider with Printer** permissions (found in User-Permissions-Pages-Administration-Printers).
- NFC tags must be paired with the printer in order to release jobs.


 For NFC tags recommendations, contact MyQ support.

Setup

To set up a single-function printer:

1. Go to **Supervision - Printers**.
2. In the top-right corner, click **Create Single-function printer**.
3. In the pop-up window, fill in the required information and click **Save**.

New single-function printer ✕

 Single-function printer is a printer without a terminal. Printer with terminal is added using [the pairing method](#).

Printer type: Single-function printer


Display name

Address *


Brand * ▼ Serial Number *

Dealer catalog number


4. Open the MyQ Roger Mobile application.
5. Once logged in to the app, tap the **Login** button at the bottom-center of the screen.
6. Select **Login via NFC**.
7. Tap **Pair a rewritable tag**.




8. Bring the phone close to the NFC tag on the printer, tap **Write to NFC tag**, and scan the NFC tag.




9. Tap **Select printer**.
10. Select the single-function printer that you created in the MyQ Roger server web app (steps 1-3).



11. Tap **Pair Tag**.



12. Tap **Done**.




The single-function printer is now created and paired to the NFC tag. Users can log in with the MyQ Roger mobile app via the NFC tag and release jobs on the single-function printer.

6.4 Printer Groups

- Printer Groups require the paid **MyQ Roger Cloud Print Management** license.

In **Supervision - Printer Groups**, the MyQ Roger administrator (or a user with the Administration/Printer Groups, Administration/Price Lists, and Administration/Device configurations permissions) can create and manage printer groups.




Click **Add printer group** to create a new printer group.


In the pop-up window, add a **Name** for the new printer group.

You can attach a price list to the new printer group. Select one from the **Price Lists** drop-down and click **Save**.

The price list assigned to the printer group will replace the default price list (in case there was a default price list set before creating the printer group). Then, the default price list will only apply to printers that are not assigned to any printer groups. For more information, check [Price Lists](#).




You can also attach a Printer Configuration to your new printer group. Select one from the **Printer configuration** drop-down and click **Save**.



The new printer group appears on the Printer Groups list on the left side.


To edit the printer group, hover over it and click on the three dots next to it. Choose **Edit** to modify its name, price list, and the printer configuration attached to it. Choose **Delete** to delete the printer group.

Select the new printer group and, on the Printers tab on the right side, click **Add printer** to add printers to it. In the pop-up window, select the printers you want to add, and click **Save**.




To remove printers from a printer group, click on the **X** (delete) button next to the printer.

Select the new printer group and, on the Printer configuration tab on the right side, you can view the settings of the printer configuration attached to the printer group. To modify them, go to **Administration - Printer Configurations**. For more information, check [Printer Configurations](#).



6.5 Desktop Clients


In **Supervision - Desktop Clients**, the MyQ Roger administrator (or a user with the Administration/Desktop Clients/View Desktop Clients permissions) can monitor all the MyQ Roger Clients connected to their tenant.



The information available is the desktop client’s ID, its display name, version, IP address, the hostname of the computer(s) connected to it, and the active status of the desktop client.

6.5.1 Download Logs

You can download the logs of a Desktop Client.




1. Select **Actions, Request Download Log.**


2. Once this operation is complete select **Action, Download Log**, the download log is saved as a zipped version.
3. To generate a new download log, simply click **Request Download Log** again.

6.6 Notifications


In the **Notifications** page, in **Supervision - Notifications**, the MyQ Roger administrator can view and manage alert notifications. The list contains a description of the notification along with the date and severity information. Clicking on a notification takes you to the related settings page (if applicable).



You can also reach the Notifications page by clicking on the bell in the upper-right corner and then clicking **See all notifications**.




You can set up the date range for the listed notifications by clicking on the date field and selecting the start and end date from the calendar. Click the refresh button to the right and the notifications from the selected dates will be displayed.




You can also select to list either all the notifications or only the unread ones. Once your selected notifications are listed, you can:

- Click the **Set all as read** button in the upper-right corner to mark them as read.
- Click the **Delete Listed Notifications** button to delete the listed notifications.


- In a notification, under Actions, click the **Set as read** button to mark it as read.



- In a notification, under Actions, click the **Show** button to hide or unhide the notification.




- In a notification, under Actions, click the **Delete** button to delete it.



6.6.1 Notification settings

You can manage your notification setting by clicking on the Notification settings button or by clicking on the bell in the upper-right corner and then clicking the cog (settings) button.



In the pop-up window you can choose whether you want to **Receive Notifications** (enabled by default) and you can mark the checkbox to receive a notification **On a new user registered to the application** (disabled by default). Click **Save** to apply your changes.

Notification settings ×

Receive Notifications

(This option can be used to completely enable/disable receiving notifications.)

Notification Types

On a new user registered to the application.


7 Workflow Templates

Workflow Templates require the paid **MyQ Roger Cloud Print Management** subscription edition.

Workflow templates with preconfigured parameters are now available in MyQ Roger. They can simplify and speed up users' Scan Profiles and Copy actions.

This feature allows administrators to create and manage customized sets of workflows and assign them to users and user groups.


Once created and assigned to a user or a user group, a workflow template is available for use in the MyQ Roger Mobile app and MyQ Roger printers.




7.1 Default Workflow Template

When creating a new tenant or activating the workflow templates feature in your existing tenant, a predefined **Default Workflow Template** is generated and assigned to all users and user groups.

The Default Workflow Template cannot be deleted, but it can be renamed via the **edit** button in the upper-left corner. You can also click the **Restore defaults** button to restore the Default Workflow Template to its default state.



All existing and any subsequently added users or user groups, either manually or via user synchronization, are automatically assigned to the Default Workflow Template. You can delete users or user groups from the Default Workflow Template by hovering over the user or user group on the template and clicking the trashcan (delete) button.



Workflows that are part of the Default Workflow Template can be added, removed, and modified according to your needs.

The following workflows are part of the Default Workflow Template:

- **Scan to Box** - scan to Box. This workflow is only available in the MyQ Roger Mobile app. (Box has to be connected to your tenant and the user must be already connected to their Box)
- **Scan to iCloud** - scan to iCloud. This workflow is only available in the MyQ Roger Mobile app. (only available to Apple users)
- **Scan to Dropbox** - scan to Dropbox. This workflow is only available in the MyQ Roger Mobile app. (Dropbox has to be connected to your tenant and the user must be already connected to their Dropbox)
- **Scan to Google Drive** - scan to Google Drive. (Google Drive has to be connected to your tenant and the user must be already connected to their Google Drive)
- **Scan to OneDrive** - scan to OneDrive. (OneDrive has to be connected to your tenant and the user must be already connected to their OneDrive)
- **Scan to my phone** - save the scanned document to the user's phone.
- **Easy copy** - after the user taps this action, the page is immediately copied.
- **Scan to @email** - scan to an email address.
- **Scan to @me** - scan to the user's email address.

7.2 Creating a workflow template

- On the left-side menu options, go to **Workflows - Templates**.
- On the upper-right side, click **Create template**.
- In the pop-up window, add a **Display name** for your new workflow template and click **Save**.

Workflow template


Display name *

New Template

Cancel

Save


- Your new workflow template is created and you can now add workflows to it and assign it to users and user groups.



7.2.1 Adding a workflow to a template

You can create new workflows for the Default Workflow Template or any other templates you have.

In the workflow template you want to expand, click **Create workflow**.



In the pop-up window, in the **General** tab, design the new workflow according to your needs:

The 'Create workflow' pop-up window has a close button (X) in the top right corner. It has two tabs: 'General' (selected) and 'Parameters'. The 'General' tab contains the following fields:

- Display name ***: A text input field with the placeholder 'Workflow profile name'. Below it, the text 'Please enter name for the tile workflow profile' is displayed.
- Scan to ***: A dropdown menu with a downward arrow. Below it, the text 'Select the tile destination' is displayed.
- Description**: A text input field with the placeholder 'Enter description'. Below it, the text 'Description for the tile workflow profile' is displayed.
- Color**: A row of color swatches (red, black, grey, light grey, blue, teal, orange, rainbow). Below it, the text 'Select the tile destination' is displayed.
- Icon**: A row of six icons representing different actions: document, printer, scanner, email, folder, and cloud. Below it, the text 'Select the tile icon' is displayed.

At the bottom right of the window, there are 'Close' and 'Save' buttons.

Display name - add a name for your workflow that will be displayed on the MyQ Roger mobile app and MyQ Roger printers.

Description - add a description for the workflow.

Color - select a color for the workflow's tile.

Icon - select an icon for the workflow's tile.

Scan to - select the scan's destination. Depending on your choice, more options become available. The available destinations are:

- **Email**
 - Predefined email - specify the email address
 - Ask me every time before scan
 - User's email address
- **OneDrive** (OneDrive needs to first be [connected to MyQ Roger](#)).
 - **How to save** - select the saving destination. The available options are:
 - Save to MyQ Scans (this is the MyQ Scans folder in your cloud storage)
 - Ask me after scanning
- **Google Drive** (Google Drive needs to first be [connected to MyQ Roger](#)).
 - **How to save** - select the saving destination. The available options are:
 - Save to MyQ Scans (this is the MyQ Scans folder in your cloud storage)
 - Ask me after scanning
- **SharePoint** (the *SharePoint* option only becomes available with a specific license and SharePoint needs to first be [connected to MyQ Roger](#)).
 - **SharePoint site URL** - Enter the SharePoint site's URL. Go to the site's home page and copy the URL here. For example: <https://company.sharepoint.com/sites/MySite>
MyQ will scan to the Documents library.
 - **How to save** - select the saving destination. The available options are:
 - Save to MyQ Scans (this is the MyQ Scans folder in your cloud storage)
 - Ask me after scanning
 - Save to a predefined folder
 - **Save to folder** - specify the exact folder path.

General **Parameters**

Display name *
Please enter name for the tile workflow profile

Scan to * ▼
Select the tile destination

SharePoint site URL *
Go to the site home page and copy the URL here.
Example: <https://company.sharepoint.com/sites/MySite>
MyQ will scan to the Documents library.

How to save * ▼
Choose saving destination

Save to folder *
Choose saving destination

- **USB** (not supported on Kyocera devices)
- **Print**
- **iCloud** (only available in the MyQ Roger Mobile app)
- **Dropbox** (only available in the MyQ Roger Mobile app)
 - **How to save** - select the saving destination. The available options are:
 - Save to MyQ Scans (this is the MyQ Scans folder in your cloud storage)
 - Ask me after scanning
- **Box** (only available in the MyQ Roger Mobile app)
 - **How to save** - select the saving destination. The available options are:
 - Save to MyQ Scans (this is the MyQ Scans folder in your cloud storage)
 - Ask me after scanning
- **Phone** (only available in the MyQ Roger Mobile app)

In the **Parameters** tab, specify the parameters required for your workflow:

Create workflow
✕

General
Parameters

Sides Default (Single-Sided) ▼

Select paper side

Color Profile Default ▼

Select paper color

Resolution Default ▼

Select resolution

Paper size options Auto ▼

Select the paper size format


Close
Save

- **Sides** - choose a duplex/simplex option from the list: *Default (Single-Sided)*, *Double-Sided (Long Edge)*, *Double-Sided (Short Edge)*.
- **Color Profile** - choose the job's color: *Default*, *Mono*, *Auto*, *Gray*, *Full*.
- **Resolution** - choose the job's resolution: *Default*, *100*, *200*, *300*, *400*, *600*, *1200*.
- **Paper size options** - choose the job's paper size: *A3*, *A4*, *A5*, *A6*, *Auto*, *B4*, *B5*, *B6*, *Executive*, *Folio*, *Ledger*, *Legal*, *Letter*, *Mixed*, *Oficio II*, *Statement*.

Once done with both the General and the Parameters tabs, click **Save** to apply your changes and save the new workflow.

7.2.2 Editing a workflow

To edit a workflow, hover over it in your workflow template and click on the **Edit** button next to it.




In the pop-up window, modify the workflow's general and parameter settings, and click **Save**.

To delete a workflow, hover over it in your workflow template and click on the trashcan button next to it.


To move a workflow up or down on the list, select it and click on the up or down buttons to the left. This order is reflected in the MyQ Roger Mobile app and MyQ Roger printers.

7.2.3 Adding users and groups

In your workflow template, click **Add group** on the right side of the screen. Select the user groups from the list and click **Save**.



If you want to add specific users to your workflow template, click on the **Users** tab and then on **Add user**. Select the users from the list and click **Save**.



To delete any users or user groups, hover over the user or user group and click on the trashcan button next to it.

7.3 Workflow Templates Transition

As mentioned, workflow templates is a paid feature. When you upgrade to a license tier with the workflow templates feature included:

Tenant with no users - If a new tenant has been upgraded, then just delete all the workflows for all (default) users and replace them with the default template.

Tenant with existing users - No change shall take place until the tenant administrator logs in to the MyQ Roger web UI to initiate the transition. There, the administrator is presented with two options:

Transition to Workflow Templates

As an administrator, you can now define multiple workflow templates for scanning and copying, making them available to selected users and/or user groups. You can also control by user rights whether the users are allowed to modify the assigned template workflows or produce their own, and reset their workflows to the default configuration at any time.

All the users will now be assigned the predefined default workflow template, which will replace the default actions they had available before. Decide how to process the custom personal workflows the users have already created for themselves in Roger.

Leave the custom personal workflows in place. The default template will replace just the original default workflows.

Delete all the custom personal workflows of all users before applying the default workflows template.

Confirm your choice

“As an administrator, you can now define multiple workflow templates for scanning and copying, making them available to selected users and/or user groups. You can also control by user rights whether the users are allowed to modify the assigned template workflows or produce their own, and reset their workflows to the default configuration at any time.

All the users will now be assigned the predefined default workflow template, which will replace the default actions they had available before. Decide how to process the custom personal workflows the users have already created for themselves in Roger.

1. Leave the custom personal workflows in place. The default template will replace just the original default workflows.
2. Delete all the custom personal workflows of all users before applying the default workflows template.

The first option deletes just the original default workflows for all users, replacing them with the default template. The second option wipes all the workflows clean (both favorite and recent) before applying the default template.

8 Organization

Under **Organization** in the left-side menu, the MyQ Roger administrator can:

- manage [Users](#)
- manage [User Groups](#)
- manage [Cost Centers](#) (paid feature, available only when the relevant license edition is used)
- manage [Roles](#)

8.1 Users

You can create new users manually, via importing from an external source (Excel, CSV), or via synchronization with Microsoft Entra ID.

8.1.1 Manually Creating Users

- On the left-side menu options, go to **Organization - Users**.
- On the **Users** settings, click **Create new user** on the upper-right side.

The screenshot shows the 'Users' management page. The left sidebar has 'Users' highlighted under 'ORGANIZATION'. The main area shows a table with columns: Actions, User name, First Name, Surname, Roles, Email address, Email confirm, Active, and Creation time. A red arrow points to the '+ Create new user' button in the top right corner.

Actions	User name	First Name	Surname	Roles	Email address	Email confirm	Active	Creation time
[Actions]						No	Yes	3/20/2023, 10:29:27 AM
[Actions]						No	Yes	3/20/2023, 1:50:56 PM
[Actions]						Yes	Yes	2/17/2021, 11:33:34 AM

- In the *Create new user* window, on the **User Information** tab, fill in the following:
 - **First Name** - add the user's first name.
 - **Surname** - add the user's surname.
 - **Email address**- add the user's email address.
 - **Phone number** - optionally add the user's phone number.
 - **User name** - add the user's user name.
 - **Set random password** - enable the setting if you want to set a random password for the user. If disabled, you have to manually set a password for the user.
 - **Should change password on next login** - if enabled, the user is prompted to change their password on their next login.
 - **Send activation email** - if enabled, the user receives an activation email.
 - **Active** - if this is disabled, the user cannot use MyQ Roger.

- **Two factor authentication enabled** - if enabled, the user can use 2FA with their login.
- **Lockout enabled** - if enabled, the user's account is locked after multiple failed login attempts.

Create new user
×


User information

Roles 1

User Groups

PIN and Cards

Aliases



First Name *

Surname *

Email address *

Phone number

User name *

- Set random password.
- Should change password on next login.
- Send activation email.
- Active
- Two factor authentication enabled
- Lockout enabled

Cancel
Save


- Click **Save** and your new user is created.

8.1.2 Importing Users

To import users:

- On the left-side menu options, go to **Organization - Users**.
- On the **Users** settings, click **Excel operations** on the upper-right side.

- Click **Import from excel**, browse for your file, and click **Open**.
- Once the users import is complete, you see a notification on the lower-right side of the screen.



- Refresh your browser window and you can now see the imported users.

Excel file syntax

	A	B	C	D	E	F	G	H	I	J	K
1	UserName*	Name*	Surname*	EmailAddress*	PhoneNumber	Password	PIN	AssignedRoleNames	SendActivationEmail	IncludePINToActivationEmail	Aliases
2	JohnDoe	John	Doe	john.doe@acme.com	123456789	3j9A9g*	1234	Admin	TRUE	TRUE	
3	DouglasAdams42	Douglas Noel	Adams	ouglas.n.adams@gmail.com	6165435434	jurQ892*	5678	Admin	TRUE	TRUE	DouglasAlias1
4											

- **UserName*** - add the user's user name.
- **Name*** - add the user's first name.
- **Surname*** - add the user's surname.
- **EmailAddress*** - add the user's email address.
- **PhoneNumber** - optionally add the user's phone number.
- **Password** - add a password for the user.
- **PIN** - add a PIN for the user.
- **AssignedRoleNames** - add the role you want to assign to the user; either *User* or *Admin*.
- **SendActivationEmail** - add *TRUE* to send an activation email to the user.
- **IncludePINToActivationEmail** - add *TRUE* if you want the PIN to be included in the activation email that is sent to the user.
- **Aliases** - add any aliases for the user.

⚠ If you are using MS Office in a language other than English, the values *TRUE* and *FALSE* needed in the *SendActivationEmail* and *IncludePINToActivationEmail* fields have to be translated in the MS Office language. For example, if your MS Office is in German, add *WAHR* or *FALSCH* instead of *TRUE* or *FALSE*.

■ You can also use our sample Excel file, to avoid syntax mistakes. Click **Excel operations** on the upper-right side, and then click **Click here** to download the sample file. Once downloaded, modify it and then click **Excel Operations, Import from Excel** to upload it.

ⓘ Users imported from Excel cannot use external authentication (MS, Google, Apple authentication), because when importing from Excel, the unique UID identifier cannot be confirmed and match the user to the correct account.

8.1.3 AD User Synchronization

Another way to create users in MyQ Roger is to set up a synchronization from external services. Currently **Microsoft Entra ID** (renamed from **MS Azure Active Directory**) is supported and Google Active Directory is being developed and should be available in the foreseeable future.

⚠ **Required Permissions**
Pages.Administration.UserSync

Microsoft Entra ID

In order to configure an Microsoft Entra ID in MyQ Roger, you should already have an existing Microsoft Entra ID.

Setup and Configuration

1. Log in to the [Microsoft Azure portal](https://docs.microsoft.com/en-us/azure/active-directory/develop/quickstart-register-app) and create a new **App registration** in your Microsoft Entra ID <https://docs.microsoft.com/en-us/azure/active-directory/develop/quickstart-register-app>.
2. The new app overview page opens. Copy the **Application (client) ID** and the **Directory (tenant) ID**, as they are needed for the connection to MyQ Roger.
3. Go to **Certificates & secrets** and create a **New client secret**. Set the expiration date and copy the secret **Value** (back up the value as it will not be displayed again).
4. The app registration **MUST HAVE** the following **permissions: User.Read.All, Group.Read.All** (*in case you want to use only a certain group*). To set them, select **API permissions**, and then click **Add a permission**. In the window to the right, in the Microsoft APIs tab, select **Microsoft Graph**. In the next window, select **Application permissions**, search and select the **User.Read.All** and **Group.Read.All** (*in case you want to sync a certain group*) permissions, and click **Add permissions**.

Request API permissions



< All APIs

Microsoft Graph
<https://graph.microsoft.com/> [Docs](#)

What type of permissions does your application require?

Delegated permissions Your application needs to access the API as the signed-in user.	Application permissions Your application runs as a background service or daemon without a signed-in user.
---	---

Select permissions expand all

Permission	Admin consent required
> IdentityRiskyUser	
∨ User (1)	
<input checked="" type="checkbox"/> User.Read.All ⓘ Read all users' full profiles	Yes

- 5. Go to MyQ Roger, **Edit** and fill in the Connector settings in **MyQ Roger, Administration, User Synchronization, Microsoft Entra ID:**

User Synchronization Manage user synchronization.

Microsoft Entra ID

Connector settings

Synchronize automatically

Secrets

Application ID*

Application (Client) ID you copied during the Microsoft Entra ID setup

Directory (Tenant) ID*

Directory (Tenant) ID you copied during the Microsoft Entra ID setup

Application secret

Application secret (value) you copied during the Microsoft

Application secret expiration date

12/31/2024

- a. **Application ID***: Add the Application (client) ID you copied during the Microsoft Entra ID setup.
 - b. **Directory (Tenant) ID***: Add the Directory (tenant) ID you copied during the Microsoft Entra ID setup.
 - c. **Application secret***: Add the application secret value you copied during the Microsoft Entra ID setup.
 - i. **Application secret expiration date** (optional): Set an expiration date if you want to be notified about expiring secret. All users with the *Pages.Administration.UserSync permissions* are notified.
6. Set **Groups** options:
- a. **None**: If this option is selected, all the users from the organization are synchronized.
 - b. **Selected**: Fill in the group identifier if you want to synchronize users from a specific Entra ID group. You can add multiple group identifiers separated by comma (,). The Entra ID group GUID can be located in Microsoft Entra ID > Groups > Labeled as Object ID on the group you wish to synchronize.
7. Set the **Users** options:
- a. **Selected groups**: Synchronize users from the selected and nested groups.
 - b. **All**: Synchronize all the users.
 - c. **Source fields for aliases**: Add the name of the field in the Microsoft Entra ID Graph API that will be used to create an alias for the user. The default field is *onPremisesSamAccountName*. You can combine specified fields into one alias. Surround each field with the percent (%) sign, e.g. %givenName%. You can

specify more combinations using semicolon (;) as a delimiter, e.g.

%givenName%.%surName%;%surName%-%givenName%.

- d. **Send PIN emails:** Mark the checkbox if you want the newly created users to receive a welcome email with PIN.
 - e. **Manage existing users:** Updates and keeps existing users synchronized. Users are matched with their email address.
 - f. **Allow use 'Display name':** The first and last name are mandatory fields in MyQ Roger. Microsoft Entra ID accounts may have have "Displayname" set instead of first and last name.
 - g. **Also create aliases without invalid characters:** The invalid characters are: " [] ; ; | = + * ? < > / \ , . and space. For example, The alias for John Doe will be created as *JohnDoe*.
 - h. **Manage user deletion:** When enabled, MyQ Roger compares the users before and after synchronization. It deletes the accounts that cannot be retrieved from the remote system. Microsoft Entra ID provides information for accounts that should be deleted for a limited time. You should only enable this option if you have not run a synchronization for an extended period of time or if you have changed the settings.
8. Click **Connect**. The connection is tested and if everything was correctly set, you should now see more options (Sync now, Delete, Edit, and Synchronize automatically).
 9. To perform the synchronization, click the **Sync now** button or enable auto-sync to synchronize users **every 24 hours** from activation.

Synchronization rules

- If an AD user's email address **does not exist** in the MyQ Roger tenant, a new user is created with the "**AD synced**" tag.
- If an AD user **is deleted from the AD** and a synchronization is done, the user is **also deleted from MyQ Roger**.
- If an AD user's email address **already exists** in the MyQ Roger tenant, the user creation is **skipped**.
 - If they were deleted before, the user is registered again.
- If a user's creation fails, the synchronization continues with other users. For more info, see notifications chapter.
- Login - If a user was synchronized by Microsoft Entra ID they would be required to log in to MyQ Roger by using the '**Sign in with Microsoft**' option. MyQ Roger does not synchronize user passwords so if the user was synced via AD then it is a requirement to use the sign in option of the provider. (Microsoft/Google) MyQ Roger login with username and password can only be used if the user was created directly from MyQ Roger.

Notifications


- If a synchronization is triggered manually:

- The triggering user gets a navbar notification when the job finishes.
- In case of any changes (any users deleted, added, or failed), all the users with permissions to manage a synchronization get a navbar notification with short information about the job.
- If a synchronization is triggered automatically:
 - In case of any changes (any users deleted, added, or failed), all the users with permissions to manage a synchronization get a navbar notification with short information about the job.
 - If there is no change, users are not notified. Only short information about the last run is displayed in administration.
- If the **Application secret expiration date** was set and the job is ran 7 days before the expiration, a navbar notification is displayed and an email notification is sent to users with permissions to manage synchronizations.
- All synchronization runs are logged with short info. All failed users' syncs are also logged.

8.1.4 Editing Users

⚠ The names and other attributes of users synchronized from an external source cannot be edited. It is not possible to delete imported users, user groups, and cost centers.

Go to **Organization-Users**. On the Users overview, click **Actions** next to a user to see the available actions.



- To edit a user, click **Edit**.

The user's window opens, where you can make changes on the **User information** tab, assign a new role to the user in the **Roles** tab (users can have the *User* role, the *Admin* role, or both roles), add the user to **User Groups**, manage the user's **Aliases**, and configure the user's PIN and Cards in the **PIN and Cards** tab. In the **PIN and Cards** tab, under to PIN, click **Reset PIN** to reset the user's PIN. The reset is immediately done. In the Cards field, insert the card numbers, separated by comma (,), and click **Add Cards**.

Edit user:
✕

User information
Roles 2
User Groups
PIN and Cards
Aliases

PIN

Warning! Reset is submitted immediately.

Reset PIN

Cards

Insert comma separated cards numbers

Add Cards

Actions	Card Num.
No data	

Total: 0

Cancel

Save

Click **Save** to save your changes. If the **Send activation email** setting is enabled, an email is sent to the user once you save their account's changes.

If a user with the administrator role has lost or not received their password, there are two ways to resolve this:

1. A different user with the administrator role or administrator rights can edit the user with the lost password. In the **User Information** tab, they should select the **Set random password** and the **Send activation email** options, and click **Save**. The user should receive a new activation email and password.
2. If there is no other user with the administrator role or administrator rights, contact MyQ Support.

- To check/modify the user's permissions, click **Permissions**.

There are multiple permissions that can be assigned to user accounts. Most of them may be assigned by default, depending on your MyQ Roger tenant setup. Check the box next to a parameter to give the permission to a user or uncheck it to remove the permission. Once done, click **Save**.

- To unlock a user, click **Unlock**.

If the user’s account is locked after multiple failed login attempts, you can unlock it from here.

- To reset a user’s PIN, click **Reset PIN**.

You can also use advanced filters to reset the PINs for multiple users or user groups. Click **Show advanced filters**. Add the user groups you want in the **Filter by Group** field. Optionally, **Filter by role**, by selecting admin or user or **Search by Card**. You can also mark the **Only locked users** checkbox to reset PINs only to locked out users, and mark the **Only users managed by AD synchronization** checkbox to reset PINs only to users imported via AD synchronization. Then click **Actions** and **Reset PINs**.

The screenshot shows the 'Users' management page with advanced filters expanded. The filters include 'Search by Card' (Card number), 'Filter by Group' (Search...), 'Filter by role' (dropdown), 'Only locked users' (checkbox), and 'Only users managed by AD synchronization' (checkbox). A 'Refresh' button is visible. Below the filters is a table of users:


<input type="checkbox"/>	Actions	User name	First Name	Surname	Roles	Email address	Email confirm	Active	Creation time
<input type="checkbox"/>	Actions	112sdsd	dsfgt	gttg	User	gtg@dd.c	No	Yes	12/12/2023, 12:24:38 PM
<input type="checkbox"/>	Actions	dgdgd	fdgd	dfgd	User	dfgd@fgd.fg	No	Yes	12/12/2023, 12:24:04 PM
<input type="checkbox"/>	Actions	admin	sanajeh	sanajeh	Admin	yaman.sanajeh@myq-solution.co m	No	Yes	9/5/2023, 3:57:03 PM

Total: 3

If you have filtered by group, only the users in this group will get their PINs reset.

The screenshot shows the same user management interface as above, but with a confirmation dialog box overlaid. The dialog box has a yellow warning icon and the text: "Are you sure? You are about to reset PIN to the users matching an actual filter (2). They will receive new PIN via e-mail. Do you want to continue?". There are 'Yes' and 'Cancel' buttons at the bottom of the dialog. The background shows the filter settings and the user table, with the total count now showing as 2.

The PINs are reset instantly and the users receive an email with their new PIN.



- To delete a user, click **Delete**.

8.2 User Groups

User groups are used to allocate users into organizational units. User groups can be imported via [AD User synchronization](#) or created on the MyQ Roger server Web UI by the administrator or a user with sufficient permissions.


All users are automatically members of the built-in **All users in Roger** user group. When a tenant is created, this group is created as well by default. All later added users are inserted by default, including users from user synchronization. This group cannot be edited or deleted. The main purpose of this group is to be able to assign roles to all users at once.

User groups can be also used to filter users in the **Users** page via advanced filters and carry out actions onto these user groups such as reset PINs, send PINs via email, and reset workflows.

8.2.1 Creating user groups

- On the left-side menu options, go to **Organization - User Groups**.


User Groups Use organization groups to organize users and entities.



- Click **Add root group** to create a new user group.
- In the pop-up window, give a **Name** to your user group and click **Save**.
- You can now add members to it. Select the new user group and click **Add member** on the right side. Select the users from the list and click **Save**.
- You can also add roles to the user group. Select the new user group, click on the **Roles** tab on the right side, and click **Add role**. Choose the role you want to add from the list, and click **Save**.

8.2.2 User Group Options

User group options are available when you hover over a user group and then click on the three-dot menu on the right side of the user group.



- **Edit** - click to modify your user group's name.

- **Add sub-group** - click to add a sub-group to the user group.
- **Delete** - click to delete the selected user group.

8.3 Cost Centers

- Cost Centers require the paid **MyQ Roger Cloud Print Management** subscription edition.


Cost centers are a way to organize reports and job accounting for users.

Users can belong to only one cost center.

Cost centers can be imported during AD synchronization or they can be manually created on the tenant.

Users can change their cost center but the cost center history remains. The cost center is written to the report record.

The cost centers' management is done in **Organization - Cost Centers**.



There, you can view and manage your existing cost centers and create new ones as well.

8.3.1 Creating a cost center

- In **Organization - Cost Centers**, click **Add cost center**.
- In the pop-up window, add a name for your new cost center and click **Save**. The new cost center is created.

Add cost center: New Cost Center ✕

Name *

Cancel Save

- To assign users to it, select your cost center and click **Add member**.
- In the pop-up window, select the users you want to add and click **Save**.
- To remove users from a cost center, click on the **X** (delete) button next to the user.

New Cost Center

+ Add member


Delete	Name ↑↓	Surname ↑↓	User name ↑↓
✕	admin	admin	admin

Delete
Total: 1
<< < 1 > >>
10 ▾

- Cost centers can be also changed for a user through the user's Actions menu by selecting Edit and going to the Cost Centers tab.

8.3.2 Editing a cost center

- Hover over the cost center and click on the three dots next to it.




- Choose **Edit** to modify the cost center’s name.
- Choose **Delete** to delete the cost center.

8.3.3 Importing a cost center


Cost centers can be imported during user synchronization from Microsoft Entra ID. The settings are available in **Administration - User Synchronization - Microsoft Entra ID Connector settings**.

In the Cost Centers section:

- Select **None** if you don’t want to import cost centers.



- If you have added groups in the Groups section, the **From root group** option becomes available. Select it and add the **Root Group ID** next to it. The first level of the children of this group will be synchronized as Cost Centers.



- Select **Groups by attribute** and add the **Attribute name** next to it. **Attribute name** should be the name of the user attribute from the active directory.



i For more information on User synchronization, check [AD user synchronization](#).

8.4 Roles

In **Organization - Roles**, the MyQ Roger administrator can manage roles as a way to group user permissions.

Roles Use roles to group permissions. + Create new role

Select Permissions (0)

↻

Actions	Role name	Creation time
<div style="background-color: #333; color: white; padding: 2px 5px; border-radius: 3px; display: inline-block;">⚙️ Actions ▾</div>	Admin Static	12/12/2023, 2:05:59 PM
<div style="background-color: #333; color: white; padding: 2px 5px; border-radius: 3px; display: inline-block;">⚙️ Actions ▾</div>	User Static Default	12/12/2023, 2:05:59 PM

<< < 1 > >>

10 ▾

Total: 2

When a new tenant is created, there are two default roles: the **Admin** role which has all the permissions enabled, and the **User** role which contains only the following default user permissions:

- Administration Permissions
 - Cloud storage
 - Download MFP logs
 - Credit
 - Payment history
 - Desktop Clients
 - Connect Desktop Client
 - Manage Desktop Clients
 - View Desktop Clients
 - Price Lists
 - Manage Price Lists
 - View Price Lists
 - Printers
 - Manage Printers
 - Pair Provider with Printer
 - View Printers
 - Reports
 - Generate Reports
 - System
 - About page
 - Audit Logs
 - Licenses
 - Settings
- Users
 - Manage Cost Centers
 - Manage Users
 - View Cost Centers
 - View Users
- Workflow Templates
 - Manage Workflow Templates
 - View Workflow Templates
- User permissions
 - Connect personal storage
- Credit
 - Credit charge
 - Payment history
- Jobs
- Pins and cards
 - Manage pins and cards
 - Read pins and cards
- Settings
- Terminal Actions
 - Unlock Panel
- Workflows
 - Create and manage workflows
 - Read workflows

All users are assigned the **User** role, unless a different role is chosen for them in their Edit user panel.

Edit user: 1 ✕

User information **Roles 1** User Groups 0 Cost center PIN and Cards Aliases

Admin User

8.4.1 Creating a new role

To create a new role, click the **Create new role** button in the upper-right corner.

In the pop-up window, in the Role name tab, add a **Role name** for your new role. If you want this role to be the default one for newly created users, mark the **Default** checkbox.

Create new role ×

Role name Permissions

Role name *

Default Assign to new users by default.

If you are changing your own permissions, you may need to refresh page (F5) to take effect of permission changes on your own screen!

In the **Permissions** tab, select the permissions to be included in the new role.

Create new role



Role name

Permissions


Search...

- ∨ Administration Permissions
 - > Cloud storage
 - > Credit
 - > Desktop Clients
 - > Price Lists
 - > Printers
 - > Reports
 - > System
 - > Users
 - > Workflow Templates
- ∨ User permissions
 - Connect personal storage
 - > Credit
 - Jobs
 - > Pins and cards
 - Settings
 - > Terminal Actions
 - > Workflows

Click **Save** and then refresh your browser to apply your changes.

8.4.2 Roles Management

You can filter the roles overview list by clicking the **Select Permissions** button. In the pop-up window, select the permissions you want and click **Save**. Only roles with the selected permission will be displayed on the list.



To edit a role, click **Actions** next to the role and select **Edit**. You can then change the role name and the permissions it includes.

To delete a role, click **Actions** next to the role and select **Delete**. The **Admin** and **User** roles cannot be deleted.

9 Administration

Under **Administration** in the left-side menu, the MyQ Roger administrator can:

- overview [Subscription](#) and license information
- manage [User Synchronization](#)
- manage [Price Lists](#)
- manage [universal printers](#)
- manage [Printer configurations](#)
- manage [cloud services and PIN & cards settings](#)
- manage [MyQ Roger settings](#)

9.1 Subscription

In **Administration - Subscription**, you can view your subscription and licenses information.

9.1.1 Subscription information tab

In the Subscription information tab, you can find all the information relevant to your current subscription.

Subscription Your subscription overview.

Subscription information
Licenses

Subscription information

EDITION

SUBSCRIPTION START DATE 1/14/2021	SUBSCRIPTION END DATE 3/31/2024
---	---

WHAT IS INCLUDED IN YOUR PLAN

✔ Maximum user count : 10000

Terminal licenses

⊗ Total licenses: 50 ? (4 Inactive ? | 7 Missing ?)

✔ Used licenses: 46 ?

⊗ Total printers: 57 ? (11 Inactive ?)

LAST MODIFICATION TIME
2/6/2023, 3:01:40 PM

- **Edition** - the edition of the subscription you currently have.
- **Subscription start date** - the date your subscription started.
- **Subscription end date** - the date your subscription ends.
- **What is included in your plan** - information about features included in your subscription.
- **Terminal licenses:**
 - **Total licenses** - total number of purchased licenses for terminals. One license is used per terminal. There is also information for the number of inactive or missing licenses.
 - **Used licenses** - the current number of used licenses by terminals.
 - **Total printers** - total number of printers paired with your organization. There is also information for the number of inactive (non-licensed) printers.
- **Last modification time** - time and date when your subscription was last modified.

9.1.2 Licenses tab

In the Licenses tab, you can find detailed information about your licenses.

Subscription [Your subscription overview.](#)

Product Code ↑↓	Count ↑↓	Validity from ↑↓	Validity to ↑↓	Name	Description	Last modification time ↑↓
M, S, S, P	50			Terminal License	The licence allows the terminal to use the standard edition of MyQ Roger services	2/6/2023, 3:03:53 PM

Total: 1

The available columns are:

- **Product Code** - the license's product code.
- **Count** - the current number of purchased licenses.
- **Validity from** - the start date of the licenses' validity.
- **Validity to** - the end date of the licenses' validity.
- **Name** - the license's name.
- **Description** - a short description of the license.
- **Last modification time** - time and date when your licenses were last modified.

In the upper-right side, you can use the **Column selection** button to rearrange the columns shown in the overview.

You can drag-and-drop columns from one side to the other or select a column and use the arrows in the middle and then click **Save**. All the columns in the **Shown columns** side will be displayed in the licenses overview.

Column selection



Available columns

- 🔍 Count
- 🔍 Last modification time

Shown columns

- 🔍 Validity from
- 🔍 Validity to
- 🔍 Description

>

>>

<

<<

Close

Save

9.1.3 Licensing

MyQ Roger offers the following subscription editions and licenses:

MyQ Roger DWA Base SaaS

The MyQ Roger DWA Base SaaS (aka **Digital Workplace Assistant (DWA)**) edition is the mandatory SaaS Subscription, where you purchase licenses for Multifunction Printers (MFPs) and embedded terminal activation.

Software Assurance Standard is included.

MyQ Roger CPM Module

The MyQ Roger CPM Module (aka **Cloud Print Management (CPM)**) is an enhancement of the DWA edition that greatly benefits larger Enterprise customers with the following features:

- **Cost Centers** - assigning a cost center to a user or group of users and then accounting for all activities.

- **Printer Groups & Printer Configuration Profiles** - grouping printers to groups and then assigning predefined printer configurations and price lists to each group (the Printer Configuration profiles feature is coming soon).
- **Workflow Templates** - central management of scan/copy actions by admins, creating workflow templates and assigning them to users or groups of users.

Software Assurance Standard is included.

- The CPM module will be continuously expanded with additional Enterprise features.

MyQ Roger PRN

The MyQ Roger PRN edition is a subscription per printer, where single-function printers can be utilized.

Single-function printers (aka lightweight printers) licenses allow printers where an embedded terminal cannot be installed to be used with MyQ Roger with NFC tags.

MyQ Roger MRC

The MyQ Roger MRC edition is a subscription per instance that enables you to have additional MyQ Roger Clients (MRC) over the allowed limit (40 instances of MRC per license are included in the other subscription editions).

MyQ Software Assurance plans

The below Software Assurance plans are available on MyQ Partner Portal for MyQ Roger.

Software Assurance Premium Plus

- 2 hours initial response time for critical issues
- partner portal access (support requests and SW updates available)
- 24/7 phone support for critical issues
- remote desktop support
- assistance with MyQ system remote installation and system upgrades on 2nd level partner support
- assistance with settings of related external systems on 2nd level partner support
- assistance with periodical system check on 2nd level partner support

Software Assurance Premium

- 4 business hours initial response time for critical issues
- partner portal access (support requests and SW updates available)

- business hours phone support (9 – 17 CET (DST), excluding Czech public holidays) for critical issues
- remote desktop support

Software Assurance Standard


- without SLA
- partner portal access (support requests and SW updates available)

 For more information about Software Assurance, visit [MyQ Community](#).


Ordering Licenses

Ordering is done via the [MyQ Partner portal](#).

1. Log in to the MyQ Partner portal using your Partner ID and password.



2. Click on **New Project**, select the **Roger Subscription License Type** from the drop-down, and click **Next**.



3. Add a **Project Name**, select the **Subscription Type** (*Monthly, Yearly, Term*), **Software Assurance Plan** (*Standard, Premium, Premium Plus* - described in detail [here](#)) and select a **Dealer** and **Channel** (If the Channel list is empty, please contact your MyQ Account Manager). Fill in the customer information (Tenancy info, admin info). You can optionally add a **Description** as well. Click **OK**.

4. In the **Project** tab, in the **Licenses** category, under **Software Licenses** click **Add new license group**, select the license type you want to add, and click **OK**.

5. In the pop-up window, add the number of licenses you want to order and click **OK**.

6. In the next pop-up window, select the duration of Software Assurance in months and/or years and click **OK**.
7. Your order is now waiting in the **Shopping Cart**. Click on the **Shopping Cart** category where you can view a summary of your order and finalize it. To finish the order, click on the **I agree and want to PROCEED THIS ORDER** button. Confirm the order in the pop-up window by clicking **OK**.

Project Details Orders Related Project Price Opportunities Dashboard Telemetry Help

Go to shopping cart to process this order.

Licenses Installations **Shopping Cart**

▼ New order

Order number:

PO number:

Item code	Item description	Quantity	Unit Price	Total Price
MyQ-R-P001SAA...	MyQ Roger DWA Base SaaS per MFD per Year	1	EUR	EUR
MyQ-R-P001PYY	MyQ Roger Premium Support per MFD per Year	1	EUR	EUR

Thank you for using MyQ Solution. We are happy that you have ordered new items. Your order will be forwarded for final approval by your channel approver. New items will be available when it is approved.

Before finalizing the order, you can copy the order's details in your clipboard by clicking **Copy order**, and you can cancel it by clicking **Cancel order**.

After you click the **I agree and want to PROCEED THIS ORDER** button, the order is sent to the responsible approver, and you also receive an email with information about who your order's approver is.

Once the order is finalized, it is not possible to add a new order to the project until the first one is approved.

You can view your project's details in the **Details** tab, and your orders list and status in the **Orders** tab. If you click on an Order ID, you can view the order's details (specific items, their quantity, unit, and total price, etc.).

If you want to edit your project's details (project name, admin contact, description, etc.) you can click the **Edit project** button located at the bottom-right side in any tab and make the changes.

Add licenses to existing project

To add licenses to an existing project:

1. Log in to the MyQ Partner portal using your Partner ID and password.
2. Click on **Projects List** and **Search** for the Project you wish to add licenses to.

3. Click on the **Project Name** to expand the Project details.
4. Click on the **plus (+)** icon next to the edition you want to expand on. (If you want to also add another license group, click the **Add license group** button and select the license from the drop-down.)
5. In the pop-up window, add the number of licenses you want to order, and click **OK**.
6. The new licenses are added to the shopping cart, along with the software assurance license which is calculated until the end of support date. Click on the **Shopping Cart** tab to review and finish the order.
7. Click **I agree and want to PROCEED THIS ORDER**. Your order is sent to the responsible approver.

Order add-ons

To order the **MyQ Roger CPM Module** add-on, you first have to have a mandatory MyQ Roger DWA Base SaaS license ordered and paid. After that is done:

1. Log in to the MyQ Partner portal using your Partner ID and password.
2. Click on **Projects List** and **Search** for the Project with the paid MyQ Roger DWA Base SaaS license.
3. Click on the **Project Name** to expand the Project details.
4. Click on the **Add new add-on** button. In the pop-up window, select the *MyQ-R-CPM* add-on and click **OK**.

The screenshot shows the MyQ Roger Partner portal interface. At the top, there is a navigation bar with tabs: Project, Details, Orders, Related, Project Price, Opportunities, Dashboard, Telemetry, and Help. Below the navigation bar, there is a message: "Project is open for placing new order. Add new licenses over plus button on the licenses tab." The main content area is divided into two sections: Licenses and Installations. The Licenses section is expanded, showing a list of licenses. The table has columns for License group, Quantity, and Available. The first row is "Connected Devices" with a quantity of "Unlimited" and "Available" of "Unlimited". The second row is "MyQ Roger DWA Base SaaS" with a quantity of "1" and "Available" of "0". Below the table, there are four buttons: "Add new license group", "Add new hardware", "Add others", and "Add new add on". The "Add new add on" button is highlighted with a red box. A pop-up window titled "Add new add on" is open, showing a search bar with a magnifying glass icon and a list of add-ons. The first add-on is "MyQ-R-CPM", which is selected. There are "Cancel" and "OK" buttons at the bottom right of the pop-up window.

5. The add-on licenses are added to the shopping cart. Click on the **Shopping Cart** tab to review and finish the order.
6. Click **I agree and want to PROCEED THIS ORDER**. Your order is sent to the responsible approver.

Subscription information

If you have selected a **monthly** subscription:

- Your subscription is automatically renewed, and your account is charged every 1st of the upcoming month.
- You can view the subscription's expiration date in the **Licenses** tab, in the **Subscription** section.
- You can add licenses to your subscription any time. Your account will be charged on the 1st of the upcoming month.
- You can change the subscription type from monthly to yearly in the **Licenses** tab.
- You can cancel your subscription before it expires.
- After expiration, you have 10 days to renew/prolong your subscription.

If you have selected a **yearly** subscription:

- You can add licenses to your subscription any time. Your account will be charged in bulk for the remaining months of the yearly subscription.
- You can change the subscription type from yearly to monthly in the **Licenses** tab, on the last month of your yearly subscription.
- You can cancel your subscription on the last month before expiration.
- After expiration, you have 10 days to renew/prolong your subscription.

If you have selected a **term** subscription:

- You set the expiration date while creating your term subscription, and then pay for the whole term.
- There is a discount if you buy 12+ months in bulk.
- You can view the subscription's expiration date in the **Licenses** tab, in the **Subscription** section.
- You can cancel your subscription before it expires.
- After expiration, you have 10 days to renew/prolong your subscription.

Software Assurance

You can upgrade your Standard Software Assurance plan to the Premium one, and the Premium one, to the Premium Plus plan. Downgrading is not possible.

In order to change (upgrade) your Software Assurance plan:

1. Log in to the MyQ Partner portal using your Partner ID and password.
2. Click on **List of Projects** and select the Project you wish to update.
3. In the **Licenses** category, under Software Assurance, click on the **Change Software Assurance Plan** button, select the new Software Assurance plan from the drop-down, and click **OK**.
4. Once you click **OK**, your order is confirmed and waiting for approval.

9.2 User Synchronization

In **Administration - User Synchronization**, the MyQ Roger administrator can manage user synchronization from external services.

Currently **Microsoft Entra ID** (renamed from [MS Azure Active Directory](#)) is supported and Google Active Directory is being developed and should be available in the foreseeable future.

User Synchronization Manage user synchronization.

The screenshot displays the configuration interface for the Microsoft Entra ID connector. At the top, there are three buttons: 'Sync now' (red), 'Edit' (dark grey), and 'Delete' (dark grey). Below these is a section for 'Synchronize automatically' with a checked checkbox. A list of synchronized items includes 'Secrets', 'Groups', and 'Users', each with a dropdown arrow. The status section shows 'Configured' and 'Enabled' buttons. The summary table provides the following data:

Users	Groups	Runs
SYNCHRONIZED/SKIPPED/DELETED 114/1/0 TOTAL COUNT IN MYQ ROGER/MICROSOFT ENTRA ID 165/119	SYNCHRONIZED 1 TOTAL COUNT IN MYQ ROGER/MICROSOFT ENTRA ID 4/119	LAST SYNCHRONIZATION AT 2/7/2024, 9:44:17 PM LAST RUN DURATION 0 minutes, 11.297 seconds NEXT SYNCHRONIZATION AT 2/8/2024, 9:44:13 PM

The setup and configuration for the Microsoft Entra ID connector is described in [AD user synchronization](#).

To synchronize users, click the **Sync now** button.

To edit the connector settings, click the **Edit** button.

To delete the connection, click the **Delete** button.

You can also view the status of the connection at the bottom of the page.

9.3 Price Lists

Price lists are being used to define and assess the prices of printing devices operations, such as price per printed color page, scanned pages, price per paper format, etc., which are necessary for monetary accounting.

⚠️ Required Permissions

- Administration
 - Price lists
 - Create, Edit, and Delete

i Currently there can only be one Price List per tenant. The Price List per printer profile is planned.

When creating a price list for the first time and there already are printers in your tenant, a message box appears to assign the price list to all the printers.


The default price list will be associated with all newly created printers.

If a price list is assigned to a **printer group**, that price list will replace the default one (in case there was a default price list set before creating the printer group). Then, the default price list will only apply to printers that are not assigned to any printer groups.

The final job price is calculated as a sum of the price of the operation multiplied by the count of standard pages and the price of used paper multiplied by the count of sheets consumed. If there were multiple copies, the final price is multiplied by the number of copies as well.

9.3.1 Create a new price list

Go to **Administration-Price Lists**. In the upper-right corner, click **Create new price list**.



In the new window, create a price list according to your needs:

Create new price list ×

General settings

Name * Type * Validity –

Price per operation

Printing		Copy		Other	
Black & White *	Color *	Black & White *	Color *	Scan *	Fax print *
<input type="text" value="0.5"/>	<input type="text" value="1"/>	<input type="text" value="0.5"/>	<input type="text" value="1"/>	<input type="text" value="1.5"/>	<input type="text" value="1.5"/>

Price per paper

A4 *	A3 *	A5 *	B4 *	B5 *
<input type="text" value="0.2"/>	<input type="text" value="0.4"/>	<input type="text" value="0.8"/>	<input type="text" value="1"/>	<input type="text" value="1.2"/>
Folio *	Ledger *	Legal *	Letter *	
<input type="text" value="0.5"/>	<input type="text" value="0.5"/>	<input type="text" value="0.5"/>	<input type="text" value="0.5"/>	
Other *				
<input type="text" value="1"/>				

Final price is calculated as a sum price of the operation multiplied by count of standard pages and the price of used paper multiplied by count of sheets consumed.

Cancel Save

In the **General settings** section:

- Add a **Name** for your price list.
- Select the *Basic* price list **Type** from the drop-down (the *Advanced* type is planned).
- In **Validity**, add the date range that you want this price list to be valid for.

In the **Price per operation** section, add prices for the following operations:

- Printing
 - Black & White
 - Color
- Copy
 - Black & White
 - Color

- Other
 - Scan
 - Fax print

In the **Price per paper** section, add prices for the following paper formats:

- A4
- A3
- A5
- B4
- B5
- Folio
- Ledger
- Legal
- Letter
- Other

Click **Save** to apply your changes. A pop-up window asks you for confirmation and if you want to assign this price list to the default printer configuration profile. Click **Yes** to create the price list and assign it as default. Click **No** to create the price list without assigning it as default.



Are you sure?

Do you want to assign this price list to the default printer configuration profile ?



Your new price list appears on the list in **Administration-Price lists**.


9.3.2 Price list management

in **Administration-Price Lists**, there is an overview of all your price lists.

You can search for a price list by typing in the **Search** field or by using the advanced search filters.

You can also download an Excel file with all your price lists and their properties by clicking **Export to Excel** in the upper-right corner.

You can click on the **Actions** button next to a price list for the following price list management options:



- **View:** Opens the price list's properties window (display only).
- **Edit:** Opens the price list's properties window where you can edit the price list.
- **Delete:** If confirmed in the pop-up, the price list is deleted.

9.4 Universal Print by Microsoft

Microsoft Universal Print is a cloud-based print service that enables cloud-only printing for organizations.

MyQ Roger integrates MS Universal Print and allows administrators to create a Universal Printer in Microsoft Azure and use it in their MyQ Roger tenant.

The creation and setup of the Universal Printer is done in the MyQ Roger web server.


⚠️ Required Permissions

- Microsoft Azure
 - Universal Print
 - Create, Edit and Delete

In the MyQ Roger web server, go to **Administration, Universal Print by Microsoft**. Under Universal Print, you can see a mini-guide listing all the steps you need to follow in order to set up a Universal Printer. All the steps are in "**Pending**" status. As you go through them one by one, their status will be changing to "**Success**".


1. The Universal Print Administrator needs to be authenticated in MS Azure Active Directory (AD) before they can start managing Universal Printers. To do that, click the **Sign in with Microsoft** button. You are redirected to the Microsoft login page, where you can choose your Microsoft account and sign in.

1. Authenticate to Microsoft Graph



2. Once signed in, the next step is to grant tenant-wide admin consent on behalf of your organization in Microsoft Graph. Click the **Consents** button. You are redirected to the Microsoft login page, where you can choose your Microsoft account, sign in, and then grant admin consent for your organization (more details can be found [here](#)).

2. Grant tenant-wide admin consent on behalf of your organization



MyQ Roger

MyQ, spol. s r.o.

3. The final step is to create your Universal Printer. In the Create a printer section, fill in the below and click **Save**:

3. Create a printer

▼ Show details

- a. **Display Name** - Add a name for the printer, that is going to be visible to your users.
 - b. **Model** - Add the printer's model.
 - c. **Manufacturer** (optional) - Add the printer's manufacturer.
4. After you click save, the Universal Printer is created. The printer's certificate, default parameters, and sharing options are automatically established, but you can modify them in MS Azure if needed.


The Universal Printer appears on the List of Universal Printers in your MS Azure, and can now be used by your MyQ Roger tenant users.

Limitations


- The Universal Printer must be created via the MyQ Roger web server.
- Only one Universal Printer per tenant is currently supported.
- It's not possible to create a new Universal Printer in MyQ Roger until the previous one is deleted in the MyQ Roger web server (even if the Universal Printer has already been deleted in MS Azure). If that happens, there is an error message informing you and asking you to delete the previous printer.



9.5 Printer Configurations

In the MyQ Roger web server, go to **Administration, Printer Configurations** to manage your printer configurations.



Printer Configurations Manage your printer configurations + Create new printer configuration

Search_ 

Actions	Default	Name
 Actions ▾		Default printer configuration


« < 1 > » 10 ▾

Total: 1

Every tenant has a **Default printer configuration** profile (previously known as Device Settings). It contains multiple device settings such as login methods, SNMP settings, etc., and it is automatically assigned to all the printers in the tenant.

Administrators can create new printer configurations if a paid license with this feature is applied to the tenant.

The **Default printer configuration** cannot be deleted, however, if you have the option for multiple printer configurations, you can select which one will be the default.

 To use Printer Configurations with MyQ Roger Client, **MyQ Roger Client 1.4 patch 7+** must be installed.

9.5.1 Creating a new printer configuration

- This option is only available if the paid **MyQ Roger Cloud Print Management** subscription edition is applied to the tenant.

To create a new printer configuration, click **Create new printer configuration** in the upper-right corner.

In the pop-up window, configure the settings for your new printer configuration profile. Details for the various settings tabs can be found below.

9.5.2 Editing the Default printer configuration

The MyQ Roger administrator can configure the **Default printer configuration** profile by clicking **Actions** next to it, and selecting **Edit**. There are multiple tabs with available settings.

9.5.3 General tab

In the General tab, the MyQ Roger administrator can:

- change the **Name** of the printer configuration profile.
- mark the profile as the **Default** configuration to be used. (This only applies to higher paid license where multiple printer configurations are available.)

Edit: Default printer configuration
✕

General

Login
Ready To Print
SNMP
Job Release
Scanning

Name *

Default printer configuration

Default Default configuration will be used for printers without printer group

Cancel

Save

Click **Save** to save your changes.

9.5.4 Login tab

Edit: Default printer configuration ✕

General
Login
Ready To Print
SNMP
Job Release
Scanning

Allowed Login Methods

- PIN*
- Cards*
- QR code*

*Select at least one option

- User Credentials

Admin Mode

PIN

1087

Administrative PIN to open the Admin Mode at devices

Default screen on terminals

QR code ▼

Choose which login screen will be shown on terminal by default

Cancel
Save

- Under **Allowed Login Methods**, check the boxes next to the login methods you want to set for your users (select at least one option):
 - PIN
 - Cards
 - QR code
 - User Credentials
- Under **Admin Mode**, set a PIN (*1087* by default) to be able to use the Admin Mode on your devices.
- Under **Default screen on terminals**, choose which login screen (*QR code* by default) will be shown by default on your terminals (note that each brand has different defaults for login screens and may not require further configuration).
 - PIN
 - Card
 - User Credentials
 - QR code
 - Last used screen

Click **Save** to save your changes.

9.5.5 Ready to Print tab

In the **Ready to Print** tab, you can configure the expiration period before device spooled jobs are deleted.

In the **Expiration Period** field set the time you want in minutes. The minimum is *10* minutes and the default is *240* minutes.

Click **Save** to apply your changes.

Edit: Default printer configuration
✕

General
Login
Ready To Print
SNMP
Job Release
Scanning

Device Spooled Jobs Settings

Expiration Period:

Minutes

The expiration period for jobs spooled by a device before they are deleted.
10 minutes minimum

Cancel

Save

9.5.6 SNMP tab

If SNMP settings are incorrectly set, jobs might not be able to be released!

- ⚠** Since MyQ Roger Client for Windows patch 1, **SNMPv3** is used by default.

 - If you want to use SNMPv3, you have to properly define the settings in both the device and your tenant.
 - Or you can set the SNMP to version 2 on your tenant with no further setup and release jobs easily.

If the settings are incorrect, MyQ Roger Client will not be able to find the printers and release jobs.

In the **SNMP** tab, you can configure SNMP.

If you set the **SNMP Version** to 2, no further settings are needed (unless you want to also change the **SNMP port**).

Edit: Default printer configuration



- General
- Login
- Ready To Print
- SNMP
- Job Release
- Scanning

General

SNMP Version

SNMP Port *

If you set the **SNMP Version** to 3, more settings become available:

Edit: Default printer configuration



General Login Ready To Print **SNMP** Job Release Scanning

General

SNMP Version

3

SNMP Port *

161

Authentication

Protocol *

MD5

Username *

admin

Password *

Privacy

Protocol *

DES

Password *

Context

Add same as device

Cancel

Save

- In **Authentication**:
 - Select an authentication **Protocol** from the list: *MD5, SHA1, SHA256, SHA384, SHA512*.
 - Add the **Username** for the authentication.
 - Add the **Password** for the authentication.
- In **Privacy**:
 - Select a privacy **Protocol** from the list: *DES, AES128, AES192, AES256*.
 - Add a **Password**.
 - Add a **Context**. This should be the same both here and on the device; otherwise printing might be stopped. Context is an identifier for the data being communicated and is added as an extra security step.

Click **Save** to apply your changes.

9.5.7 Job Release tab

In the **Job Release** tab, you can configure job release settings.

Edit: Default printer configuration ✕

General Login Ready To Print SNMP **Job Release** Scanning

Job Release Settings

Protocol

RAW ▼

RAW

Port

9100

Cancel **Save**

- **Protocol** - Select between the *RAW* and *IPPS* protocols.
- **Port** - Add the port for the selected protocol.
- **Validate Trust** - Mark the checkbox if you want to validate certificates (only available in IPPS).
- **Validate Hostname** - Mark the checkbox if you want to validate the hostname (only available in IPPS).

Click **Save** to apply your changes.

9.5.8 Scanning tab

In the **Scanning** tab, you can configure the following Scan to email settings:

Edit: Default printer configuration



General Login Ready To Print SNMP Job Release Scanning

Scan to email settings

Preferred delivery method

Cloud REST API



For users without cloud e-mail access

Use device SMTP



Configure the scan to e-mail settings at the device

Cancel

Save

Preferred delivery method - Choose whether you want the emails to be delivered via *Device SMTP* or *Cloud Rest API*.

If you choose the *Cloud Rest API* option, select what happens for users without cloud email access:

- Use device SMTP
- Hide the scan to email workflows

Click **Save** to apply your changes.

9.5.9 Kyocera tab

The Kyocera tab is only visible if your tenant has a Kyocera printer.

In the **Kyocera** tab, you can configure the time to keep the session on a terminal active when the terminal is not responding.

In the **User inactivity period on the terminal before the timeout occurs** field add the time you want (in seconds). The default is *300* seconds.

Edit: test ✕

[General](#) [Login](#) [Ready To Print](#) [SNMP](#) [Job Release](#) [Scanning](#) [Kyocera](#)

Kyocera

User inactivity period on the terminal before the timeout occurs:

Seconds

User will be logged out if not active after this time.

Cancel Save

Click **Save** to apply your changes.

9.6 My Settings

Go to **Administration - My Settings** to manage Cloud Services settings and settings related to PIN and cards.

9.6.1 Cloud Services

In the Cloud Services tab, you can sign in to your cloud services and manage consents.

Settings Show and change application settings.

[Cloud Services](#) [PIN and Cards](#)

OneDrive	Sign in with Microsoft Consents Management
SharePoint	Sign in with Microsoft Consents Management
Google Drive	Sign in with Google Consents Management

9.6.2 PIN and Cards

In the PIN and Cards tab users can reset their own PIN and add or delete Cards, if they were granted the necessary permissions by the administrator (Administration - PIN and Cards - Add Cards, Delete Cards, Reset PIN).

Settings Show and change application settings. Save all

Cloud Services PIN and Cards

PIN

Warning! Reset is submitted immediately.

Actions

Cards	Card Num.	Actions
<input type="text"/>	12345566	Actions
Total: 1		

Insert comma separated cards numbers

Add Cards

To reset your PIN, type the new one in the **PIN** field, click **Actions**, and then **Reset PIN**. The reset happens immediately.

To add new cards, type the card numbers (separated by comma (,)) in the **Cards** field and then click **Add Cards**. Click on the **Save all** button in the upper-right corner to save your changes.

To delete a card, click on **Actions** next to the card and then **Delete**.

Click on the **Save all** button in the upper-right corner to save your changes.

9.7 Settings

In the MyQ Roger web server, go to **Administration - Settings** to manage general application settings.

9.7.1 General tab

In the **General** tab, you can configure the following settings:

Settings Show and change application settings.

The screenshot shows the 'Appearance' tab in the settings interface. It contains the following fields:

- Timezone:** A dropdown menu with the text 'Select a Timezone' and a downward arrow.
- Default currency:** A dropdown menu with 'EUR' selected and a downward arrow.
- Default currency decimal places:** A text input field containing the number '2'.
- Default language:** A dropdown menu with a flag icon and the text 'English' and a downward arrow.


- **Timezone** - select a timezone from the drop-down menu.
- **Default currency** - select a currency from the drop-down menu.
- **Default currency decimal places** - set the number of digits to be used after the decimal point.
- **Default language** - select a language from the drop-down. The selected language is going to be used on MyQ Roger embedded terminals. Consult the relevant brand guides for any further configuration.

☒ To change the language of the MyQ Roger web server UI, click on the flag in the main ribbon.

Click **Save all** in the upper-right corner to apply your changes.

9.7.2 Appearance tab

In **Administration - Settings**, in the **Appearance** tab, you can upload a new logo to replace the MyQ Roger web server UI logo (on the upper-left corner).



Click **Choose a file** to browse for your new logo file. The file should be in JPG/JPEG/PNG/GIF format with a maximum 30KB size and 139x35 pixel resolution.

Once done, click **Upload** and then click **Save all** in the upper-right corner to apply your changes.

Click **Clear** to remove the uploaded file and revert to the default MyQ Roger logo.

9.7.3 User management tab

In **Administration - Settings**, in the **User management** tab, you can manage the following user-related settings:

Settings Show and change application settings.

The screenshot shows the 'User management' tab in the settings interface. It contains the following sections and options:

- Form-Based Registration**: A checkbox labeled 'Allow users to register to the system.' Below it, a note states: 'If you disable this, users will only be added by admin using user management page.'
- Cookie consent**: A checkbox labeled 'Cookie consent enabled'.
- Session Timeout Control**: A checkbox labeled 'Session Time Out Control Enabled'.
- Other Settings**: A checkbox labeled 'Email confirmation required for login.'
- Profile**: A checkbox labeled 'Allow users to use Gravatar profile picture'.

- **Form-Based Registration** - Mark the **Allow users to register to the system** checkbox if you want to allow self-registration. If unchecked, users can only be added by the MyQ Roger administrator.
- **Cookie consent** - Mark the **Cookie Consent** checkbox if you want the cookie consent message to be displayed.
- **Session Timeout Control** - Mark the **Session Time Out Control** checkbox if you want to terminate a session after a specific time.
- **Other Settings** - Mark the **Email confirmation required for login** checkbox if you want users to confirm their email address before logging in.
- **Profile** - Mark the **Allow users to use Gravatar profile picture** checkbox if you want users to be able to [use Gravatar for their profile picture](#).

Click **Save all** in the upper-right corner to apply your changes.

9.7.4 Security tab

In **Administration - Settings**, in the **Security** tab, you can manage MyQ Roger's security settings.

Click **Save all** in the upper-right corner to save your changes.

Password complexity

General Appearance User management **Security** Login Cloud Storages

Password complexity

Use default settings

Require digit

Require lowercase

Require non-alphanumeric

Require uppercase

Required length

3

- **Use default settings** - check the box to use the default security settings (all boxes checked, required length = 8).
- **Require digit** - check the box so that the password must contain digits.
- **Require lowercase** - check the box so that the password must contain lowercase values.
- **Require non-alphanumeric** - check the box so that the password must contain special characters (*,%,#, etc.).
- **Require uppercase** - check the box so that the password must contain uppercase values.
- **Required length** - specify the minimum password length.

PIN settings

PIN settings

PIN length

4

Minimal length of PIN

PIN density

20 %

When density of all PINs reaches this level, the length of all new PINs will be increased by 1

- **PIN length** - set a number for the minimal PIN length.
- **PIN density** - Set the percentage for PIN density. When the density of all PINs reaches this level, the length of all new PINs will be increased by 1.

User Lock Out

User Lock Out

Lock the user account after a number of failed login attempts

Maximum number of failed login attempt count before locking the account

5

Account locking duration (as seconds)

300

- **Lock the user account after a number of failed login attempts** - Check the box to enable user account lockout. If enabled, the following settings become available.
- **Maximum number of failed login attempt count before locking the account** - specify the number of the failed login attempts before the account is locked.
- **Account locking duration (as seconds)** - specify the amount of time the account is locked for (in seconds).

Two Factor Login

Two Factor Login

Enable two factor user login.

Allow to remember browser. If you allow this, users can select to remember browser to skip second time two factor login for the same browser.

The **Two Factor Login** section is visible only if the **Host administrator** (global admin for all tenants) has globally enabled two-factor authentication. For further details, check [two-factor authentication](#).

Cloud storages


Cloud Storages

Allow users access cloud storage in device when weak PIN authentication is used.

In the **Cloud Storages** section, mark the checkbox if you want to **Allow users access cloud storage in device when weak PIN authentication is used**.


9.7.5 Login settings tab

In **Administration, Settings** from the **Login** tab you can alter the login options which can be used for the web, desktop client, and mobile application interfaces.



9.7.6 Cloud Storages tab

In **Administration - Settings**, in the **Cloud Storages** tab, you can manage cloud storage settings.



10 System

Under **System** in the left-side menu, the MyQ Roger administrator can:

- view MyQ Roger [audit logs](#).
- view MyQ Roger [application version information and find helpful links](#).

10.1 Audit Logs

In **System - Audit Logs**, the MyQ Roger administrator has a full overview of MyQ Roger audit logs.

Audit Logs Audit Logs overview information.

The screenshot shows the 'Audit Logs' overview page. At the top, there are filters for 'Last 30 minutes', 'User', 'Activity level', and 'Level', along with a 'Show system logs' checkbox. Below the filters is a search bar with the placeholder text 'Search for keyword ...' and a red 'Search' button. The main content is a table with the following columns: 'Timestamp', 'Message', and 'Level'. The table contains five log entries:

Timestamp	Message	Level
2/8/2024, 4:08:46 PM	User created printable job.	Minor
2/8/2024, 4:07:26 PM	User printed 3 pages.	Noteworthy
2/8/2024, 4:06:36 PM	User printed 3 pages.	Noteworthy
2/8/2024, 4:05:40 PM	User printed 2 pages.	Noteworthy
2/8/2024, 4:03:42 PM	User printed 2 pages.	Noteworthy

At the bottom of the table, there is a pagination control showing 'Total: 9' and page numbers 1, 2, 5.

You can search for a specific log by typing a keyword in the search field and clicking **Search** or you can further refine your search with the following:


- Choose a time from the drop-down or click on the calendar for a specific date.
- Choose a specific user from the **User** drop-down.
- Choose an **Activity level**:
 - Important
 - Noteworthy
 - Useful
 - Minor
 - Trivial
- Choose a severity **Level**:
 - Debug
 - Information

- Warning
- Error
- Fatal
- Mark the **Show system logs** checkbox

Clicking on a log gives you additional information.

10.2 About

In **System - About**, you can find information about the MyQ Roger application version you are using, as well as the following helpful links:




- [Release Notes](#) - link to the Release Notes page in the MyQ Roger online documentation.
- [Documentation](#) - link to the MyQ Roger Server Administration guide in the MyQ Roger online documentation.
- [LinkedIn](#) - link to MyQ's LinkedIn page.
- [MyQ-Roger](#) - link to the MyQ Roger website.

11 Availability Monitoring

You can view the real-time status of MyQ Roger components in <https://myqroger.statuspage.io/>.

You can check live and historical data related to the MyQ Roger system's performance, see if there is a planned or unplanned outage or scheduled maintenance.

All Systems Operational




11.1 Current Status

There is information about the uptime of each datacenter (EU, EU2, US) and its components in the last 90 days.

You can select your corresponding datacenter and click the plus (+) sign next to its name to expand it and view each component.

If there was downtime, it will be marked in a color other than green (which means that all services are operational). You can click on the different color and see information about the outage.



If it was planned, there will be information about the start, progress, and end of the outage.

Planned server update window

Scheduled Maintenance Report for MyQ Roger

- Completed** The scheduled maintenance has been completed.
Posted 4 days ago. May 27, 2024 - 18:00 UTC
- In progress** Scheduled maintenance is currently in progress. We will provide updates as necessary.
Posted 4 days ago. May 27, 2024 - 15:00 UTC
- Scheduled** We will be deploying server updates during this time.
Monday 27th May 17:00 CEST - 20:00 CEST (15:00 UTC - 18:00 UTC)
We do not expect any downtime or interruption to the service.
Posted 4 days ago. May 27, 2024 - 13:59 UTC

This scheduled maintenance affected: EU DataCenter (Web Site, API) and US DataCenter (Web Site, API).

[← Current Status](#)

Powered by Atlassian Statuspage


You can also check the uptime's history by clicking **View historical uptime** at the top of the table.

Choose the datacenter or datacenter's component from the drop-down to the left and set the three-month period you want to view on the right.

If there was downtime, it will be marked in a color other than green (which means that all services are operational). You can click on the different color and see information about the outage.



SUBSCRIBE TO UPDATES



11.2 Past Incidents

Below the real-time status tables, there is a daily feed of past incidents. If the date you are looking for is not listed, you can click **Incident History** at the end of the page. You can now see an overview of past incidents for the last three months. You can change the three-month period on the top-right.

Incidents Uptime

March 2024 to May 2024

May 2024

[Scheduled] Planned server update window

The scheduled maintenance has been completed.
May 27, 15:00 - 18:00 UTC

[Scheduled] Planned re-configuration

The scheduled maintenance has been completed.
May 17, 18:00 - 20:00 UTC

April 2024

No incidents reported for this month.

March 2024

No incidents reported for this month.

11.3 Subscribe to Updates

Click **Subscribe to Updates** to receive a notification any time there is an update. You can get updates via email, Slack, and Atom Feed or RSS Feed.



All Systems Operational

SUBSCRIBE TO UPDATES

✉ 🌐 📡 ✕

Get email notifications whenever MyQ Roger creates, updates or resolves an incident.

Email address:

SUBSCRIBE VIA EMAIL

This site is protected by reCAPTCHA and the Google Privacy Policy and Terms of Service apply.

Uptime over the past 90 days. [View historical uptime.](#)

12 Business Contacts

MyQ® Manufacturer	MyQ® spol. s r.o. Harfa Office Park, Ceskomoravska 2420/15, 190 93 Prague 9, Czech Republic MyQ® Company is registered in the Companies register at the Municipal Court in Prague, division C, no. 29842
Business information	www.myq-solution.com info@myq-solution.com
Technical support	support@myq-solution.com
Notice	<p>MANUFACTURER WILL NOT BE LIABLE FOR ANY LOSS OR DAMAGE CAUSED BY INSTALLATION OR OPERATION OF THE SOFTWARE AND HARDWARE PARTS OF THE MyQ® PRINTING SOLUTION.</p> <p>This manual, its content, design and structure are protected by copyright. Copying or other reproduction of all or part of this guide, or any copyrightable subject matter without the prior written consent of MyQ® Company is prohibited and can be punishable.</p> <p>MyQ® is not responsible for the content of this manual, particularly regarding its integrity, currency and commercial occupancy. All the material published here is exclusively of informative character.</p> <p>This manual is subject to change without notification. MyQ® Company is not obliged to make these changes periodically nor announce them, and is not responsible for currently published information to be compatible with the latest version of the MyQ® printing solution.</p>
Trademarks	<p>MyQ®, including its logos, is a registered trademark of MyQ® company. Microsoft Windows, Windows NT and Windows Server are registered trademarks of Microsoft Corporation. All other brands and product names might be registered trademarks or trademarks of their respective companies.</p> <p>Any use of trademarks of MyQ® including its logos without the prior written consent of MyQ® Company is prohibited. The trademark and product name is protected by MyQ® Company and/or its local affiliates.</p>